

W31-X2M1G-30

✓ ACTIVE

Potter & Brumfield | Potter & Brumfield W23-31


TE Internal #: 3-1393247-8

Circuit Breakers, Thermal, Series Trip, Silver, Operating Voltage 240 VAC, Operating Voltage 50 VDC, 30A Current Rating, Potter & Brumfield W23-31

[View on TE.com >](#)



Relays & Contactors > Circuit Breakers



Circuit Breaker Type: **Thermal**

Circuit Function: **Series Trip**

Illuminated: **Without**

Actuator Color: **Silver**

Operating Voltage: **240 VAC**

Features

Product Type Features

Circuit Breaker Style	Toggle
Illumination Type	No Light
Actuator Type	Push-Pull, Toggle
Circuit Breaker Type	Thermal
Illuminated	Without

Configuration Features

	.47 (Diameter) in
Circuit Function	Series Trip
Number of Poles	1

Electrical Characteristics

Operating Voltage	50 VDC
Current Rating	30 A
Interrupt Capacity	1000A @ 50VDC or 240VAC

Body Features

Actuator Color	Silver
----------------	--------

Contact Features

Trip Time at 200%	6 - 22 seconds
-------------------	----------------

Termination Features



Terminal Configuration	8-32 Screws 90° to Each Other
------------------------	-------------------------------

Mechanical Attachment

Mounting Hardware Packaging	Assembled to Bushing
Mounting Bushing	15/32-32 Threaded Bushing .32" Long Double "D", Silver Color
Mounting Options	Two Hex Nuts/Lockwasher

Identification Marking

Stamped Marking Type	Amp Rate Marking
----------------------	------------------

Product Compliance

For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Cadmium oxide (10% in Component part) Pb (3.7% in Component part) Article Safe Usage Statements: Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>




Compatible Parts




TE Part # 35152
TERMINAL,PIDG SPD 12-10 8



TE Part # 3-1393247-9
W31-X2M1G-35=W23/W31




TE Part # 3-1393247-6
W31-X2M1G-25=W23/W31



TE Part # 2-320568-2
TERM, RT, PIDG IR, 12, #8

Also in the Series | Potter & Brumfield W23-31



Circuit Breakers(31)

Customers Also Bought



TE Part # 52942
TERMINAL,PIDG SPR SPD 12-10 8



TE Part # 4-1393247-1
W31-X2M1G-40=W23/W31



TE Part # 3-1393247-3
W31-X2M1G-15=W23/W31



TE Part # 3-1393247-2
W31-X2M1G-10=W23/W31



TE Part # 4-1393247-4
W31-X2M1G-7.50=W23/W31



TE Part # 3-1393247-6
W31-X2M1G-25=W23/W31



TE Part # 4-1393247-2
W31-X2M1G-5=W23/W31



TE Part # 2120946-1
M12 DC POWER SOCKET
CONNECTOR, T-CODED

W31-X2M1G-30

Circuit Breakers, Thermal, Series Trip, Silver, Operating Voltage 240 VAC, Operating Voltage 50 VDC, 30A Current Rating, Potter & Brumfield W23-31



TE Part # 3-1393247-5
W31-X2M1G-20=W23/W31



TE Part # 2-2176591-0
RLC73PW 2E R062 1% 1K RL

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_3-1393247-8_C_c-3-1393247-8-c.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_3-1393247-8_C_c-3-1393247-8-c.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_3-1393247-8_C_c-3-1393247-8-c.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

W23/31 Toggle or Push/Pull Actuator Thermal Circuit Breaker

English

W23/W31 Series Datasheet

English

Agency Approvals

UL

English