
W92-X113-15 🗸 ACTIVE

Potter & Brumfield | Potter & Brumfield W9

TE Internal #: 8-1393254-6 Circuit Breakers, Magnetic, Series Trip, Black, Operating Voltage 277 VAC, 15A Current Rating, 2 Pole, Potter & Brumfield W9 View on TE.com >



Relays & Contactors > Circuit Breakers



Circuit Breaker Type: Magnetic

- Circuit Function: Series Trip
- Illuminated: Without

Actuator Color: Black

Operating Voltage: 277 VAC

Features

Product Type Features

Illumination Type	No Light
Actuator Type	Toggle
Circuit Breaker Type	Magnetic
Illuminated	Without

Configuration Features

	1.52 x 2.065 in				
Circuit Function	Series Trip				
Number of Poles	2				
Electrical Characteristics					
Operating Voltage	277 VAC				
Current Rating	15 A				
Interrupt Capacity	5000A @ 277VAC				
Body Features					
Actuator Color	Black				
Contact Features					
Trip Time at 200%	.15 - 1.5 seconds				
Termination Features					
Terminal Configuration	10-32 Stud				

W92-X113-15

Circuit Breakers, Magnetic, Series Trip, Black, Operating Voltage 277 VAC, 15A Current Rating, 2 Pole, Potter & Brumfield W9



Mechanical Attachment			
Mounting Options	6-32 Mounting Threads		
Dimensions			
Product Height	63.5 mm[2.5 in]		
Identification Marking			
Stamped Marking Type	International I/O		
EU RoHS Directive 2011/65/EU	Compliant with Exemptions		
EU RoHS Directive 2011/65/EU	Compliant with Exemptions		
EU ELV Directive 2000/53/EC	Compliant		
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold		
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JUNE		
	2022 (224)		
	SVHC > Threshold:		
	Cadmium oxide (7.95% in Component Par Article Safe Usage Statements: Use personal protective equipment as required. Do not eat, drink or smoke wher using this product. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your goographic location		

Halogen Content

Not Low Halogen - contains Br or Cl > 900 ppm.

applicable governmental regulations relevant to your geographic location.

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

W92-X113-15

Circuit Breakers, Magnetic, Series Trip, Black, Operating Voltage 277 VAC, 15A Current Rating, 2 Pole, Potter & Brumfield W9






Also in the Series | Potter & Brumfield W9



Circuit Breakers(69)

Customers Also Bought



TE Part # 5745078-6 HD-20 RCPT 25P VERT FFSCRLK	TE Part # 5745079-6 HD-20 RCPT 37P VERT FFSCRLK	TE Part # 4-1703818-1 4POS,TAB 2.8X0.8,TAB HSG,ASSY,	TE Part # 6-1393144-5 K10P-11D55-110=K10/K20
TE Part # 3-1393254-4 W91-X113-10=M6/M7/M9/W6/W7	TE Part # 4-2176350-3 CRGCQ 2512 10M 5%	TE Part # 5-1879354-6 RR03 5% 62R AMMO	TE Part # 5148059-5 ASSY,RECEPTACLE,EUROCARD,TYPE C,LEAD-FRE



W92-X113-15

Circuit Breakers, Magnetic, Series Trip, Black, Operating Voltage 277 VAC, 15A Current Rating, 2 Pole, Potter & Brumfield W9



Documents

CAD Files 3D PDF

3D

Customer View Model

ENG_CVM_CVM_8-1393254-6_E.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_8-1393254-6_E.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_8-1393254-6_E.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions**of use.

Datasheets & Catalog Pages W6/W9 Magnetic Hydraulic Circuit Breaker

English

Agency Approvals UL

English