


Data sheet | Item number: 286-895

Switching module; with changeover rocker switch; Switching voltage: 250 VAC; Switching current: 6 A; gray

www.wago.com/286-895




Color: —



Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Data

Electrical data

Number of changeover/switchover contacts	1
Switching current (resistive) max.	6 A
Switching voltage (max.)	AC 250 V; DC 24 V
Electrical life (NO; resistive load; 23 °C)	50 x 10 ³ switching operations

Physical data

Width	15 mm / 0.591 inches
Height from upper-edge of DIN-rail	85 mm / 3.346 inches
Depth	52 mm / 2.047 inches

Mechanical data

Mounting type	Pluggable module for receptacle terminal blocks
Housing design	Plug for carrier terminal blocks

Material data

Color	gray
Fire load	4.165 MJ
Weight	20.5 g

Environmental requirements

Ambient temperature (operation)	-20 ... +40 °C
---------------------------------	----------------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Relative humidity	5 ... 85 % (no condensation permissible)
Operating altitude (max.)	2000 m

Commercial data

Product Group	6 (INTERFACE ELECTRONIC)
eCl@ss 10.0	27-37-16-01
eCl@ss 9.0	27-37-16-01
ETIM 8.0	EC001437
ETIM 7.0	EC001437
Recupel Type	
ECCN	NO DATA
PU (SPU)	15 (1) pcs
Packaging type	box
Country of origin	DE
GTIN	4045454399801
Customs tariff number	85365080900

Environmental Product Compliance

CAS-No.	7439-92-1
REACH Candidate List Substance	Lead
RoHS Compliance Status	Compliant, With Exemption
RoHS Exemption	6(c)
SCIP notification number (Austria)	ba2abf80-118a-4c45-baa6-03682860db9e
SCIP notification number (Belgium)	5317ad19-2f21-4575-b952-6dad3d8fd713
SCIP notification number (Bulgaria)	948d6596-fdfb-4bb3-8c98-7e073f75efe1
SCIP notification number (Czech Republic)	9b0385e4-445e-4f89-adb2-ad11d25daa55
SCIP notification number (Denmark)	7880d7a6-e367-41db-8893-2e3324afd6d2
SCIP notification number (Finland)	7d8b079f-78b3-40f7-a068-9364adf66a90
SCIP notification number (France)	327efcd4-37ab-4034-9cd8-5f615704608e
SCIP notification number (Germany)	4e28d429-1e59-4a45-8c0b-5cc03900e93d
SCIP notification number (Hungary)	6bf0369c-53ab-4f80-a079-4945463a1621
SCIP notification number (Italy)	b795f7ba-8d61-4da3-925b-f6c501077b48
SCIP notification number (Netherlands)	152aefcd-2369-49cc-a758-d9830a4e69b7
SCIP notification number (Poland)	18fc77c5-00cf-4d89-a9b6-01a2a5b50555
SCIP notification number (Romania)	9f340bfb-951e-49c4-b163-6a2fc2bf5747
SCIP notification number (Sweden)	c694559c-24f5-4548-af7e-c0a3c4b85a76

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

Approvals / Certificates

General approvals

Logo	Approval	Additional Approval Text	Certificate name
	EAC GZO Almaty Standart	TP TC 004/2011	EAC CoC 03078

Optional accessories

Terminal blocks

Terminal block for pluggable modules



Item no.: 280-619

Terminal block for pluggable modules; 6-pole; with 2-conductor terminal blocks; with orange separator; www.wago.com/280-619 for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm²; CAGE CLAMP®; 2,50 mm²; gray



Item no.: 280-609

Terminal block for pluggable modules; 6-pole; with 4-conductor terminal blocks; with orange separator; www.wago.com/280-609 for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm²; CAGE CLAMP®; 2,50 mm²; gray



Item no.: 280-763

Terminal block for pluggable modules; 6-pole; with 4-conductor terminal blocks; with marker carrier; www.wago.com/280-763 with orange separator; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm²; CAGE CLAMP®; 2,50 mm²; gray

Marking accessories

Marker



Item no.: 209-701

WSB marking card; as card; not stretchable; plain; snap-on type; white

www.wago.com/209-701

Downloads

Documentation

Bid Text

286-895	2019 年2月19 日	xml	Download
X81 - Datei		3.1 kB	

286-895	2015 年4月1 日	doc	Download
doc - Datei		24.6 kB	

Instruction Leaflet

pdf
1.3 MB
Download

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Additional Information

Disposal and Recycling	V 1.1.0	pdf	Download
Electrical and electronic equipment, Batteries, Packaging	2022 年8月18 日	2.2 MB	

CAD/CAE-Data

CAD data

2D/3D Models 286-895	URL	Download
----------------------	-----	----------

CAE data

WSCAD Universe 286-895	URL	Download
------------------------	-----	----------

ZUKEN Portal 286-895	URL	Download
----------------------	-----	----------

Asset Administration Shell

Asset Administration Shell 286-895	URL	Download
------------------------------------	-----	----------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 286-895	URL	Download
--	-----	----------

Switching module; with changeover rocker switch; Switching voltage: 250 VAC;
Switching current: 6 A; gray

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.