



circular conduc. terminal TC4.3 4 x 4/0...500 kcmil Cu with auxiliary conductor voltage tap for 4 cables; 3 units accessory for: 3VA55; 3VA65/66

Model	
product brand name	SETRON
accessories	Wire connector
General technical data	
designation / of the terminal	TC4.3
type of electrical connection / with control wire tap	Yes
Connections according IEC	
stripped length	23.1 / 44.5 mm
Connections according UL	
permissible temperature / of connectable conductor / according to UL 486A-486B	90 °C
connectable conductor cross-section	
• for copper cable / stranded / minimum	4/0 AWG
• for copper cable / stranded / maximum	500 kcmil

Certificates		
General Product Approval	EMV	Test Certificates



[Miscellaneous](#)



[Type Test Certificates/Test Report](#)

Marine / Shipping	other	Environment
-------------------	-------	-------------



[Confirmation](#)

[Miscellaneous](#)


[Miscellaneous](#)

[Environmental Confirmations](#)

[Environmental Confirmations](#)

Further information

Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
Information- and Downloadcenter (Catalogs, Brochures,...)
<http://www.siemens.com/lowvoltage/catalogs>
Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9673-0JL43>
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/en/ps/3VA9673-0JL43>
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9673-0JL43
CAx-Online-Generator
<http://www.siemens.com/cax>
Tender specifications



last modified:

10/25/2023 

