

**Product Description :** Micro-Change (1/2"-20 UNF) Single-Ended Cordset, 3 Poles, Female Part Number: 1200720258

(90°) to Pigtail, 6-22 AWG PVC Cable, 6.10m (20.0')Length

Series Number: 120072 Status: Active

**Product Category:** Circular Industrial Engineering Number: 703001D02F200

Cordsets

#### **Documents & Resources**

**Drawings** 

Drawing 1200720258\_sd.pdf

## **Product Environment Compliance**

### Compliance

| GADSL/IMDS         | Not Relevant   |
|--------------------|--|
| China RoHS         | <b>@</b>   |
| EU ELV             | Not Relevant   |
| Low-Halogen Status | Not Low-Halogen per IEC 61249-2-<br>21                           |
| REACH SVHC         | Contains Di-(2-ethylhexyl)phthalat per ED/21/2016 (20 June 2016) |
| EU RoHS            | Compliant per EU 2015/863  |

## Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## **EU RoHS Certificate of Compliance**

#### **Part Details**

## General

| Status         | Active   |
|----------------|--|
| Category       | Circular Industrial Cordsets   |
| Series         | 120072   |
| Description    | Micro-Change (1/2"-20 UNF) Single-<br>Ended Cordset, 3 Poles, Female<br>(90°) to Pigtail, 6-22 AWG PVC<br>Cable, 6.10m (20.0')Length |
| IP Rating      | IP67   |
| NEMA Rating    | NEMA 6   |
| Product Family | Brad Micro-Change (M12)<br>Connectors  |
| Product Name   | Micro-Change (1/2" - 20 UNF)   |
| Protocol       | PROFIBUS   |
| Туре           | Single Ended   |
| UPC            | 78678875914  |

# Agency

| CSA | LR6837  |
|-----|---------|
| UL  | E152210 |

## Electrical

| Current - Maximum per Contact | 4.0A       |
|-------------------------------|------------|
| Voltage - Maximum             | 250V AC/DC |

# Physical

| Cable Diameter          | N/A                          |
|-------------------------|------------------------------|
| Cable Length            | 6.10m (20.0')                |
| Color - Cable Jacket    | Yellow                       |
| Connector End A         | Micro-Change (1/2" - 20 UNF) |
| Connector End B         | Pigtail                      |
| Coupling Style          | Threaded                     |
| Gender                  | Female-Pigtail               |
| Keyway                  | Dual                         |
| LED Indicator           | No                           |
| Material - Cable Jacket | PVC                          |

| Material - Connector Body     | PVC                     |
|-------------------------------|-------------------------|
| Material - Contact            | Copper Alloy            |
| Material - Coupling Nut       | Black Epoxy Coated Zinc |
| Material - O-Ring             | Nitrile Rubber          |
| Material - Plating Mating     | Gold                    |
| Net Weight                    | 321.560/g               |
| Orientation                   | 90° to Pigtail          |
| Poles                         | 3                       |
| Temperature Range - Operating | -20° to +105°C          |
| Wire/Cable Type               | UL 2661                 |
| Wire Size (AWG)               | 22                      |

This document was generated on Apr 12, 2024