
# 2081376-1 - ACTIVE

TE Internal #: 2081376-1 FAKRA Cable Assembly, Black Cable, 0 – 6 GHz Operating Frequency, 50 Ω, PVC, .11 in [2.8 mm] Diameter, FAKRA Plug, FAKRA Plug

# View on TE.com >



Cable Assemblies > RF Cable Assemblies



Connector Type (End A): FAKRA Plug

Jacket Material: PVC

Cable Color: Black

Connector Type (End B): FAKRA Plug

Cable Assembly Type: FAKRA

# Features

# Product Type Features

Connector Type (End A)	FAKRA Plug
Connector Type (End B)	FAKRA Plug
Cable Assembly Type	FAKRA
Electrical Characteristics	
Impedance	50 Ω
Body Features	
Jacket Material	PVC
Cable Color	Black
Dimensions	
Outside Cable Diameter	2.8 mm[.11 in]
Operation/Application	
Operating Frequency	0 – 6 GHz

# Product Compliance

# 2081376-1

FAKRA Cable Assembly, Black Cable, 0 – 6 GHz Operating Frequency, 50  $\Omega$ , PVC, .11 in [2.8 mm] Diameter, FAKRA Plug, FAKRA Plug



### For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

# **Compatible Parts**



# 2081376-1

FAKRA Cable Assembly, Black Cable, 0 – 6 GHz Operating Frequency, 50  $\Omega$ , PVC, .11 in [2.8 mm] Diameter, FAKRA Plug, FAKRA Plug



TE Part # 2081377-4 CA,FAKRA F TO M,RG174LL,NO SLIP, 2000MM

# Documents

Product Drawings CA,FAKRA F TO F,RG174LL,NO SLIP,300MM

English

CAD Files Customer View Model ENG\_CVM\_CVM\_2081376-1\_1.3d\_stp.zip

English

Customer View Model ENG\_CVM\_CVM\_2081376-1\_1.3d\_igs.zip

English

3D PDF

3D

Customer View Model

### ENG\_CVM\_CVM\_2081376-1\_1.2d\_dxf.zip

# English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

# Datasheets & Catalog Pages FAKRA-AND-MATE-AX-CABLE-ASSEMBLIES

English

**Product Specifications** 

FAKRA-Compliant Next Generation Unsealed Inline Connector Product Specification

English