



N Male Shorting Dust Cap

Shorts and Caps Technical Data Sheet

PE6022

Features

- Protects against dust and contaminants
- Protects against physical damage
- Nickel Plated Body
- Internally Shorted

Applications

- General Purpose Laboratory Use
- Test and Measurement
- ESD Protection

Description

Pasternack's PE6022 RF connector dust cap has an N interface and a male gender. Our N male dust cap is a shorting design with a nickel plated body to ensure durability. The Pasternack shorting N connector cap is part of over 40,000 RF, microwave and millimeter wave products that ship the same day.

RF connector dust caps are essential for precision connectors, protecting them from dust, corrosion and potential damage especially to test and measurement equipment. Specific RF connector cap models come with a chain to prevent loss or misplacement. Internal short connector cap versions are available to protect equipment from a spike in current caused by electrostatic discharge (ESD).

Mechanical Specifications**Configuration**

Connector
Impedance

N Male Shorting
50 Ohms

Description	Material	Plating
Contact	Brass	Gold
Body	Brass	Nickel 100μ" min.
Gasket	Silicone	

Size

Length
Width
Weight

0.75 in [19.05 mm]
0.787 in [19.99 mm]
0.075 lbs [34.02 g]

Environmental Specifications**Temperature**

Operating Range

-65 to +165 deg C

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [N Male Shorting Dust Cap PE6022](#)



N Male Shorting Dust Cap

Shorts and Caps Technical Data Sheet

PE6022

Compliance Certifications (see [product page](#) for current document)

Plotted and Other Data

Notes:


N Male Shorting Dust Cap from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99.4% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [N Male Shorting Dust Cap PE6022](#)

URL: <https://www.pasternack.com/shorting-n-male-dust-cap-pe6022-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.

PE6022 CAD Drawing
N Male Shorting Dust Cap



STANDARD TOLERANCES			
.X	±0.2		
.XX	±0.1		
.XXX	±0.05		

*STANDARD TOLERANCES APPLY
ONLY TO DIMENSIONS IN INCHES



PASTERNAK®
THE ENGINEER'S RF SOURCE

Pasternack Enterprises, Inc.
P.O. Box 16759 | Irvine | CA | 92623
Phone: (949) 261-1920 | Fax: (949) 261-7451
Website: www.pasternack.com | E-Mail: sales@pasternack.com

DWG TITLE

PE6022

CAGE CODE

53919

NOTES:
1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.
2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.
3. DIMENSIONS ARE IN INCHES [mm].

CAD FILE

062017

SCALE

N/A

SIZE

A

2233

© 2017 Pasternack Enterprises All Rights Reserved

PE6022 REV 1.3

3