


## NanoRF

TE Internal #: 2341106-1 PCB RF Modules, 16 Coaxial Contacts, Vertical, Stainless Steel, Cable-to-Cable, 16 Position, 25.4 mm [1 in] Centerline, Wire & Cable, NanoRF

## View on TE.com >



Connectors > RF Connectors > RF Connector Accessories > PCB RF Modules



Number of Coaxial Contacts: 16 PCB Mount Orientation: Vertical Body Material: Stainless Steel Connector System: Cable-to-Cable Number of Positions: 16

## Features

## **Product Type Features**

Connector System

Connector & Contact Terminates To

Cable-to-Cable

Wire & Cable

## **Configuration Features**

Number of Coaxial Contacts	16
PCB Mount Orientation	Vertical
Number of Positions	16
Electrical Characteristics	
Impedance	50 Ω
Body Features	
Body Plating Material	Passivated
Body Material	Stainless Steel
Contact Features	
RF Connector Center Contact Material	Beryllium Copper
Contact Current Rating (Max)	1 A
Mechanical Attachment	
Connector Mounting Type	Panel Mount
Housing Features	

**C** For support call +1 800 522 6752

## 2341106-1

PCB RF Modules, 16 Coaxial Contacts, Vertical, Stainless Steel, Cable-to-Cable, 16 Position, 25.4 mm [1 in] Centerline, Wire & Cable, NanoRF



Centerline (Pitch)	25.4 mm[1 in]
Dimensions	
RF Contact Spacing	2.79 mm[.11 in]
Usage Conditions	
Operating Temperature Range	-65 - 120 °C[-85 - 248 °F]
Operation/Application	
Circuit Application	Signal
Product Compliance For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**


## 2341106-1

PCB RF Modules, 16 Coaxial Contacts, Vertical, Stainless Steel, Cable-to-Cable, 16 Position, 25.4 mm [1 in] Centerline, Wire & Cable, NanoRF





Also in the Series | NanoRF



# Customers Also Bought



## Documents

Product Drawings NanoRF, BP, 16 Pos 67.3C SS

English

Product Specifications Product Specification

English

**Product Specification** 

English

Instruction Sheets Instruction Sheet (U.S.) English