



Connectors > RF Connectors > RF Connector Accessories > PCB RF Modules



Number of Coaxial Contacts: 9

PCB Mount Orientation: **Vertical**

Body Material: **Aluminum Alloy**

Connector System: **Cable-to-Cable**

Number of Positions: 9

Features

Product Type Features

Connector System	Cable-to-Cable
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Coaxial Contacts	9
PCB Mount Orientation	Vertical
Number of Positions	9

Body Features

Body Material	Aluminum Alloy
---------------	----------------

Mechanical Attachment

Connector Mounting Type	Board Mount
-------------------------	-------------

Usage Conditions

Operating Temperature Range	-65 - 120 °C[-85 - 248 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Signal
---------------------	--------



Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 2332676-1
SMPM CABLE JACK VITA 67-3 SNAP .086



TE Part # 2332676-2
SMPM CABLE JACK VITA 67-3 SNAP 047



TE Part # 2332834-1
VITA 67.3 DC MODULE 9 POSITION SS



TE Part # 2332834-2
VITA 67.3 DC MODULE 9 POSITION SS



TE Part # 2332834-3

VITA 67.3 DC MODULE 9 POSITION
AL

Customers Also Bought

TE Part # 6032624002

NTFR-2-0-SP

TE Part # 59250

T-HEAD PIDG 26-14 ASSY

TE Part # 1-1757824-0

AMPLIMITE,ASY,RCPT,STD,90,ZN,4,CT

TE Part # 2324697-4

PUSH GRIP CONNECTOR 4P

TE Part # 2160013004

55A0111-22-9

TE Part # 1-1617076-1

3SBH1139A2 = M39016/14-002M

TE Part # 53417-1

TERMINAL,PIDG PVF2 R 16-14 8

TE Part # 625160-000

D-110-41

TE Part # 650127-000

D-436-83

TE Part # 1-1757823-0

AMPLIMITE,ASY,PLUG,STD,90,ZN,4,CT

Documents

Product Drawings

MOD 9 POS SMPM VITA 67-3 TYPE A BP

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2365211-1_A.2d_dxf.zip



English

Customer View Model

[ENG_CVM_CVM_2365211-1_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2365211-1_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English