

SM3018 DATA SHEET

2.4mm Male to 2.4mm Male Adapter

2.4mm male to 2.4mm male adapter part number SM3018 from Fairview Microwave is in-stock and ships same day. This Fairview 2.4mm to 2.4mm adapter has a male to male gender configuration and is built of durable stainless steel. SM3018 2.4mm male to 2.4mm male adapter operates to 50 GHz. The 2.4mm connector mates mechanically with commercially available 1.85mm (V) connectors. The Fairview Microwave RF adapter provides good VSWR of 1.6:1 maximum.

RF adapters can be used to enable connections between two connector types that would otherwise not mate. Certain RF adapter configurations can also be used to protect connectors on expensive equipment where the number of connect and disconnect cycles is high. An RF, microwave, or millimeter wave adapter is connected to the equipment and the commonly changed connection is made with the adapter which can be easily replaced when it wears out after high usage; such adapters are referred to as connnector savers. Fairview Microwave also offers bulkhead, panel mount, hermetically sealed, reverse polarity, and isolated ground adapter varieties to serve all of your RF, microwave and millimeter wave needs.

Electrical Specifications

Description	Min	Тур	Мах	Units
Frequency Range	DC		50	GHz
VSWR			1.6:1	

Electrical Specification Notes: Values at 25°C, sea level.

Mechanical Specifications

0.782 in [19.86 mm] 0.187 in [4.75 mm] 0.011 lbs [4.99 g]		
Connector 1	Connector 2	
2.4mm Male	2.4mm Male	
Standard	Standard	
MIL-STD-348	MIL-STD-348	
500	500	
5/16 inch	5/16 inch	
	2.4mm Male Standard MIL-STD-348 500	



Configuration:

- 2.4mm Male Connector 1
- 2.4mm Male Connector 2
- 50 Ohms
- Straight Body Geometry

Features:

- VSWR of 1.6:1 max up to 50 GHz
- 2.4mm interface meets MIL-STD-348
- Contact plating according to MIL-G-45204
- Gold Plated Beryllium Copper Contact

Applications:

General Purpose Test

Fairview Microwave 1130 Junction Dr. #100 Allen, TX 75013 Tel: 1-800-715-4396 / (972) 649-6678 Fax: (972) 649-6689 www.fairviewmicrowave.com sales@fairviewmicrowave.com



SM3018 DATA SHEET

Material Specifications

Description	Connector 1	Connector 2 2.4mm Male		
Туре	2.4mm Male			
Contact Material	Beryllium Copper	Beryllium Copper		
Contact Plating	Gold	Gold		
Contact Plating Spec.	MIL-G-45204	MIL-G-45204		
Insulation Material	PEI/PCTFE	PEI/PCTFE		
Body Material	Passivated Stainless Steel	Passivated Stainless Steel		
Body Plating Spec.	QQ-P-35	QQ-P-35		
Coupling Nut Material	Passivated Stainless Steel	Passivated Stainless Steel		
Coupling Nut Plating Spec.	QQ-P-35	QQ-P-35		

Environmental Specifications

Temperature

Operating Range


-55 to +135 deg C

Compliance Certifications (see product page for current document)

Plotted and Other Data

Notes:

Typical Performance Data







2.4mm Male to 2.4mm Male Adapter from Fairview Microwave is in-stock and available to ship same-day. All of our RF/ microwave products are available off-the-shelf from our ISO 9001:2008 certified facilities in Allen, Texas. Fairview Microwave is RF on-demand.

The information contained in this document is accurate to the best of our knowledge and representative of the part


For additional information on this product, please click the following link: 2.4mm Male to 2.4mm Male Adapter SM3018

URL: https://www.fairviewmicrowave.com/2.4mm-male-2.4mm-male-adapter-sm3018-p.aspx

described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Fairview Microwave reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Fairview Microwave does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Fairview Microwave does not assume any liability arising out of the use of any part or documentation.







FAIRVIEW MICROWAVE INC. ALLEN, TX 75013 WWW.FAIRVIEWMICROWAVE.COM	NOTES: 1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL. 2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME. 3. DIMENSIONS ARE IN INCHES [mm].					
TITLE 2.4mm Male to 2.4mm Male Adapter	DWG NO SM3018			CAGE CODE 3FKR5		
	CAD FILE 111215	SHEET	SCAL	E N/A	SIZE A	150

1130 Junction Dr. #100 Allen, TX 75013 | Tel: 1-800-715-4396 / (972) 649-6678 / Fax: (972) 649-6689