

https://www.phoenixcontact.com/us/products/2867843



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Antenna adapter for control cabinet feed-through, frequency range: 0.3 GHz \dots 6 GHz, degree of protection: IP65, connection: 2 x N (female)



Your advantages

- · Space-saving, thanks to the compact design
- · Easy installation with system-conforming connection technology
- · For adapting between antenna cables
- · For control cabinet feed-through

Commercial data

| Item number | 2867843 |
|--------------------------------------|---------------------|
| Packing unit | 1 pc |
| Minimum order quantity | 1 pc |
| Sales key | DN23 |
| Product key | DNN2Z1 |
| Catalog page | Page 392 (C-6-2019) |
| GTIN | 4046356046923 |
| Weight per piece (including packing) | 51.2 g |
| Weight per piece (excluding packing) | 49 g |
| Customs tariff number | 85366910 |
| Country of origin | PL |



https://www.phoenixcontact.com/us/products/2867843



Technical data


Product properties

| | Product type | Coaxial adapter |
|-----------------------|-----------------|-----------------|
| Electrical properties | | |
| | Frequency range | 0.3 GHz 6 GHz |
| | Impedance | 50 Ω |

Connection data

| Connection method | N (female) |
|-------------------|------------|

Dimensions



Material specifications

| Housing material | Brass (CuZn) |
|------------------|--------------|
| | |

Environmental and real-life conditions

Ambient conditions

| Degree of protection | IP65 (when installed) |
|---|-----------------------|
| Ambient temperature (operation) | -65 °C 165 °C |
| Ambient temperature (storage/transport) | -65 °C 165 °C |

Mounting

| Assembly instructions | Outdoors and indoors |
|-----------------------|-------------------------------------|
| | Connection-specific attachment plug |


2867843

https://www.phoenixcontact.com/us/products/2867843



Drawings

Dimensional drawing



Drill holes



https://www.phoenixcontact.com/us/products/2867843



Classifications

UNSPSC 21.0

ECLASS

| ECLASS | S-11.0 | 19070417 |
|---------|--------|----------|
| ECLASS | S-12.0 | 19070417 |
| ECLASS | S-13.0 | 19070417 |
| ETIM | | |
| ETIM 9. | 0 | EC001135 |
| UNSPSC | | |

39121400



https://www.phoenixcontact.com/us/products/2867843



Environmental product compliance

EU RoHS

| Fulfills EU RoHS substance requirements | Yes |
|---|---|
| Exemption | 6(c) |
| China RoHS | |
| Environment friendly use period (EFUP) | EFUP-25 |
| | An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required. |
| EU REACH SVHC | |
| REACH candidate substance (CAS No.) | Lead(CAS: 7439-92-1) |
| SCIP | 0fb381eb-78b8-48aa-b33d-4f60d783578f |

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com