SIEMENS

Data sheet US2:52BP7G3



30mm BlackMax, Epoxy Coated Corrosion Resistant Complete Metal Unit Illuminated Push-Pull Operator Transformer type, 120V AC Incandescent Lamp Mushroom Head Cap Small 1 3/4" (44.5 mm) Metal, Black with Green Lens 3 Position Pull-Momentary/Push-Maintained UL Listed, CSA Certified NEMA 1,3,3R,4,4X,12,13 & Automotive Standards

number of command points 1 delivery state as a kit No Actuator product extension optional light source Yes material of the actuating element metal mushroom head with plastic lens type of unlocking device pull-to-unlatch mechanism number of switching positions 3 Front ring product component front ring Yes design of the front ring metal material of the front ring metal color of the front ring Metal Contact block/ lampholder socket design BA 9s with lamp number of LED modules Coneral technical data product component • lamp transformer • light source degree of pollution 1 type of voltage • of the operating voltage • of the operating voltage • of the empt voltage **of the terminal **Supply voltage type of voltage of the light source **Pee Voltage of the light source **AC **Supply voltage of the lamp transformer rated value • United to the lamp transformer **Pee Voltage of the light source **AC **Supply voltage of the light source and the lamp transformer rated value • Of the terminal **Pee Voltage of the light source and the lamp transformer rated value • Of the purply voltage of the light source **Pee Voltage of the lamp transformer rated value • Of the terminal **Pee Voltage of the lamp transformer rated value • Of the purply voltage of the lamp transformer rated value • Of the purply voltage of the lamp transformer rated value • Outputs **Outputs Voltage of the lamp transformer rated value • Outputs **Outputs Voltage of the lamp transformer rated value • Outputs **Outputs Voltage of the lamp transformer rated value • Outputs **Outputs Voltage of the lamp transformer rated value • Outputs **Output Voltage of the lamp transformer rated value • Outputs **Output Voltage of the lamp transformer rated value • Output Voltage of the lamp transformer rated value • Output Voltage of the lamp transformer rated value **Output Voltage of the lamp transformer rated value • Output Voltage of the Voltage of the Voltage output Voltage of the Voltage output Voltage of the Voltage output Voltage of the Vol	design of the product	Actuator round
delivery state as a kit No Actuator product extension optional light source material of the actuating element metal mushroom head with plastic lens type of unlocking device pull-to-unlatch mechanism number of switching positions Front ring product component front ring Yes design of the front ring metal color of the front ring metal color of the front ring Metal Contact block/ lampholder socket design BA 9s with lamp number of LED modules Contact block/ lampholders 1 Display number of LED modules O General technical data product component lamp transformer Yes light source degree of pollution 1 1 type of voltage AC surge voltage resistance rated value AC surge voltage resistance rated value Pe66 of the terminal Pe20 Supply voltage type of voltage of the light source at AC at 60 Hz rated value limpts Outputs output voltage Others Others Others	Enclosure	
Actuator product extension optional light source material of the actuating element type of unlocking device number of switching positions 3 Front ring product component front ring design of the front ring material of the front ring Metal Color of the front ring Metal Contact block/ lampholder socket design number of LED modules Display number of LED modules Coneral technical data product component I amp transformer rated value I amp transformer rate	number of command points	1
material of the actuating element type of unlocking device number of switching positions 3 Front ring product component front ring design of the front ring material of the holder Contact block lampholder socket design number of lampholders 1 Display number of LED modules General technical data product component lamp transformer Yes light source Yes degree of pollution 1 type of voltage AC surge voltage resistance rated value AK supply voltage of the light source at AC at 60 Hz rated value must of United Inspired of Terminals	delivery state as a kit	No
material of the actuating element type of unlocking device pull-to-unlatch mechanism number of switching positions Front ring product component front ring design of the front ring material of the front ring color of the front ring material of the front ring black Holder material of the holder Contact block/ lampholder socket design number of lampholders 1 Display number of LED modules 0 General technical data product component elight source degree of pollution 1 type of voltage of the input voltage of the input voltage of the light source 4 kV protection class IP of the terminal Supply voltage by of the light source at AC at 60 Hz rated value output voltage 1 of the lamp transformer rated value	Actuator	
type of unlocking device number of switching positions 3 Pront ring product component front ring design of the front ring material of the front ring material of the front ring material of the holder material of the holder Metal Contact block/ lampholder socket design BA 9s with lamp number of lampholders 1 Display number of LED modules 0 General technical data product component lamp transformer Yes light source Yes of the operating voltage of the input voltage of the terminal supply voltage type of voltage of the terminal supply voltage type of voltage of the supply voltage of the light source supply voltage of the light source at AC at 60 Hz rated value output voltage output voltage surpout voltage of the light source at AC at 60 Hz rated value output voltage 1 of the lamp transformer rated value output voltage 1 of the lamp	product extension optional light source	Yes
number of switching positions Front ring product component front ring	material of the actuating element	metal mushroom head with plastic lens
product component front ring Yes design of the front ring standard material of the front ring black Holder material of the holder black Contact block/ lampholder socket design BA 9s with lamp number of lampholders 1 Display number of LED modules 0 General technical data product component	type of unlocking device	pull-to-unlatch mechanism
product component front ring standard material of the front ring metal color of the front ring black Holder material of the holder black Holder material of the holder Metal Contact block/ lampholder socket design BA 9s with lamp number of lampholders 1 Display number of LED modules 0 General technical data product component Yes Yes	number of switching positions	3
design of the front ring material of the front ring color of the front ring black Holder material of the holder material of the holder Metal Contact block/ lampholder socket design BA 9s with lamp number of LED modules 0 General technical data product component	Front ring	
material of the front ring black Holder material of the holder Metal Contact block/ lampholder socket design BA 9s with lamp number of lampholders 1 Display number of LED modules Ceneral technical data product component	product component front ring	Yes
color of the front ring black Holder material of the holder Contact block/ lampholder socket design BA 9s with lamp number of lampholders 1 Display number of LED modules 0 Ceneral technical data product component • lamp transformer Yes • light source Yes degree of pollution 1 type of voltage • of the operating voltage AC surge voltage resistance rated value 4 kV protection class IP • of the terminal IP20 Supply voltage type of voltage of the supply voltage of the light source AC supply voltage of the light source at AC at 60 Hz rated value • 6 V Inputs/ Outputs output voltage 1 of the lamp transformer rated value 6 V Connections/ Terminals	design of the front ring	standard
Holder material of the holder Contact block/ lampholder socket design number of lampholders Display number of LED modules 0 General technical data product component	material of the front ring	metal
material of the holder Contact block/ lampholder socket design number of lampholders 1 Display number of LED modules 0 General technical data product component	color of the front ring	black
Contact block/ lampholder socket design number of lampholders 1 Display number of LED modules 0 General technical data product component	Holder	
socket design number of lampholders Display number of LED modules General technical data product component	material of the holder	Metal
number of lampholders 1 Display number of LED modules 0 General technical data product component • lamp transformer Yes • light source Yes degree of pollution 1 type of voltage • of the operating voltage AC • of the input voltage AC surge voltage resistance rated value Protection class IP • of the terminal IP20 Supply voltage of the supply voltage of the light source AC surge voltage of the supply voltage of the light source AC supply voltage of the light source at AC at 60 Hz rated value • 6 V Inputs/ Outputs output voltage 1 of the lamp transformer rated value 6 V Connections/ Terminals	Contact block/ lampholder	
number of LED modules General technical data product component In lamp transformer In light source It degree of pollution It type of voltage In of the operating voltage In of the input voltage In of the erminal In of the terminal In of the terminal In of the supply voltage of the supply voltage of the light source AC Surpel voltage of the supply voltage of the light source In puts/Outputs Output voltage 1 of the lamp transformer rated value In output voltage 1 of the lamp transformer rated value Output voltage 1 of the lamp transformer rated value Output voltage 1 of the lamp transformer rated value Output voltage 1 of the lamp transformer rated value Output voltage 1 of the lamp transformer rated value Output voltage 1 of the lamp transformer rated value Output voltage 1 of the lamp transformer rated value Output voltage 1 of the lamp transformer rated value Output voltage 1 of the lamp transformer rated value Output voltage 1 of the lamp transformer rated value Output voltage 1 of the lamp transformer rated value Output voltage 1 of the lamp transformer rated value	socket design	BA 9s with lamp
number of LED modules General technical data product component • lamp transformer Yes • light source Yes degree of pollution 1 type of voltage • of the operating voltage AC • of the input voltage AC surge voltage resistance rated value 4 kV protection class IP IP66 • of the terminal IP20 Supply voltage type of voltage of the supply voltage of the light source AC supply voltage of the light source at AC at 60 Hz rated value • 6 V Inputs/ Outputs output voltage 1 of the lamp transformer rated value 6 V Connections/ Terminals	number of lampholders	1
General technical data product component • lamp transformer • light source degree of pollution type of voltage • of the operating voltage • of the input voltage AC surge voltage resistance rated value protection class IP • of the terminal IP20 Supply voltage type of voltage of the supply voltage of the light source supply voltage of the light source at AC at 60 Hz rated value • (6 V) Inputs/ Outputs output voltage 1 of the lamp transformer rated value output voltage 1 of the lamp transformer rated value 6 V Connections/ Terminals	Display	
product component Implementation of the light source of the light	number of LED modules	0
Ilight source Ilight source Ilight source degree of pollution Itype of voltage of the operating voltage of the input voltage AC of the input voltage AC surge voltage resistance rated value protection class IP of the terminal IP20 Supply voltage type of voltage of the supply voltage of the light source AC supply voltage of the light source at AC at 60 Hz rated value of V Inputs/ Outputs output voltage 1 of the lamp transformer rated value Connections/ Terminals	General technical data	
elight source degree of pollution type of voltage of the operating voltage of the input voltage of the input voltage surge voltage resistance rated value protection class IP of the terminal	product component	
degree of pollution type of voltage of the operating voltage AC of the input voltage AC surge voltage resistance rated value protection class IP of the terminal IP20 Supply voltage type of voltage of the supply voltage of the light source supply voltage of the light source at AC at 60 Hz rated value output voltage 1 of the lamp transformer rated value output voltage 1 of the lamp transformer rated value Connections/ Terminals	 lamp transformer 	Yes
type of voltage of the operating voltage AC of the input voltage AC surge voltage resistance rated value protection class IP of the terminal IP20 Supply voltage type of voltage of the supply voltage of the light source supply voltage of the light source at AC at 60 Hz rated value output voltage 1 of the lamp transformer rated value Connections/ Terminals	• light source	Yes
of the operating voltage of the input voltage of the input voltage surge voltage resistance rated value protection class IP of the terminal IP20 Supply voltage type of voltage of the supply voltage of the light source supply voltage of the light source at AC at 60 Hz rated value other words and the light source at AC at 60 Hz rated value output voltage 1 of the lamp transformer rated value Output voltage 1 of the lamp transformer rated value Output voltage 1 of the lamp transformer rated value Output voltage 1 of the lamp transformer rated value Output voltage 1 of the lamp transformer rated value	degree of pollution	1
of the input voltage surge voltage resistance rated value protection class IP of the terminal	type of voltage	
surge voltage resistance rated value protection class IP of the terminal IP20 Supply voltage type of voltage of the supply voltage of the light source supply voltage of the light source at AC at 60 Hz rated value functions/ Outputs output voltage 1 of the lamp transformer rated value Connections/ Terminals	 of the operating voltage 	AC
protection class IP of the terminal IP20 Supply voltage type of voltage of the supply voltage of the light source supply voltage of the light source at AC at 60 Hz rated value of the light source at AC at 60 Hz rated value of the light source at AC at 60 Hz rated value of the light source at AC at 60 Hz rated value of the light source at AC at 60 Hz rated value of the light source at AC at 60 Hz rated value of the light source at AC at 60 Hz rated value of the light source at AC at 60 Hz rated value of the light source at AC at 60 Hz rated value of the light source at AC at 60 Hz rated value of the light source at AC at 60 Hz rated value	of the input voltage	AC
of the terminal IP20 Supply voltage type of voltage of the supply voltage of the light source AC supply voltage of the light source at AC at 60 Hz rated value o 6 V Inputs/ Outputs output voltage 1 of the lamp transformer rated value 6 V Connections/ Terminals	surge voltage resistance rated value	4 kV
type of voltage of the supply voltage of the light source AC supply voltage of the light source at AC at 60 Hz rated value • 6 V Inputs/ Outputs output voltage 1 of the lamp transformer rated value 6 V Connections/ Terminals	protection class IP	IP66
type of voltage of the supply voltage of the light source AC supply voltage of the light source at AC at 60 Hz rated value • 6 V Inputs/ Outputs output voltage 1 of the lamp transformer rated value 6 V Connections/ Terminals		IP20
supply voltage of the light source at AC at 60 Hz rated value 6 V Inputs/ Outputs output voltage 1 of the lamp transformer rated value 6 V Connections/ Terminals	Supply voltage	
● 6 V Inputs/ Outputs output voltage 1 of the lamp transformer rated value 6 V Connections/ Terminals	type of voltage of the supply voltage of the light source	AC
Inputs/ Outputs output voltage 1 of the lamp transformer rated value 6 V Connections/ Terminals	supply voltage of the light source at AC at 60 Hz rated value	
output voltage 1 of the lamp transformer rated value 6 V Connections/ Terminals	•	6 V
Connections/ Terminals	Inputs/ Outputs	
	output voltage 1 of the lamp transformer rated value	6 V
type of electrical connection screw terminal	Connections/ Terminals	
	type of electrical connection	screw terminal

 of modules and accessories 	Screw-type terminal
tightening torque of the screws in the bracket maximum	20 N·m
tightening torque [lbf-in] with screw-type terminals	8 8 lbf-in
Lamp	
type of light source	filament lamp
color of the light source	clear
Electrical Safety	
touch protection against electrical shock	finger-safe
Ambient conditions	
ambient temperature	
 during operation 	-35 +70 °C
during storage	-40 +85 °C
Installation/ mounting/ dimensions	
shape of the installation opening	round
Further information	

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

https://www.siemens.com/ic10

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=US2:52BP7G3

Cax online generator

http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=US2:52BP7G3

Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/US2:52BP7G3

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=US2:52BP7G3&lang=en