SIEMENS

Data sheet 3SB2304-2A



Lampholder, Wedge base W2 x 4.6 d, without lamp, with holder

product brand name SIRIUS product designation lampholder product type designation 3SB2 Contact block/ lampholder socket design W2 x 4.6d number of lampholders 1 General technical data product function EMERGENCY STOP function No product component • diode No • lamp transformer No • light source No • series resistor No suitability for integration front element protection class IP • of the enclosure • of the terminal IP00 vibration resistance according to IEC 60068-2-6 20 200 Hz: 5g reference code according to IEC 81346-2 P Substance Prohibitance (Date) 07/01/2006	rs GENCY STOP function	3SB2 W2 x 4.6d 1 No No No
product type designation Contact block/ lampholder socket design NU2 x 4.6d number of lampholders I General technical data product function EMERGENCY STOP function product component oliode lamp transformer light source series resistor suitability for integration protection class IP of the enclosure of the terminal vibration resistance according to IEC 60068-2-6 reference code according to IEC 81346-2 P W2 x 4.6d NO NO NO product component NO NO NO IPD0 Vibration resistance according to IEC 81346-2 P	rs GENCY STOP function	3SB2 W2 x 4.6d 1 No No No
socket design W2 x 4.6d number of lampholders 1 General technical data product function EMERGENCY STOP function No product component	rs GENCY STOP function	No No No
number of lampholders General technical data product function EMERGENCY STOP function product component	GENCY STOP function	No No No
product function EMERGENCY STOP function product component diode lamp transformer light source series resistor suitability for integration protection class IP of the enclosure of the terminal vibration resistance according to IEC 60068-2-6 reference code according to IEC 81346-2 No No No INO No INO INO INO IN	GENCY STOP function	No No No
product component • diode • lamp transformer • light source • series resistor suitability for integration protection class IP • of the enclosure • of the terminal vibration resistance according to IEC 60068-2-6 reference code according to IEC 81346-2 No No No INO No INO INO INO IN		No No
product component • diode • lamp transformer • light source • series resistor No suitability for integration protection class IP • of the enclosure • of the terminal vibration resistance according to IEC 60068-2-6 reference code according to IEC 81346-2 P		No No
 diode lamp transformer light source light source series resistor No suitability for integration protection class IP of the enclosure of the terminal vibration resistance according to IEC 60068-2-6 reference code according to IEC 81346-2 No No Boo No Bront element IP00 Vibration resistance according to IEC 60068-2-6 20 200 Hz: 5g 		No
 lamp transformer light source series resistor No suitability for integration protection class IP of the enclosure of the terminal vibration resistance according to IEC 60068-2-6 reference code according to IEC 81346-2 No No No No No No Po IP00 20 200 Hz: 5g 		No
 light source series resistor suitability for integration protection class IP of the enclosure of the terminal vibration resistance according to IEC 60068-2-6 reference code according to IEC 81346-2 		
series resistor suitability for integration protection class IP of the enclosure of the terminal vibration resistance according to IEC 60068-2-6 reference code according to IEC 81346-2 No front element IP00 IP00 20 200 Hz: 5g P		No
suitability for integration front element protection class IP of the enclosure IP00 of the terminal IP00 vibration resistance according to IEC 60068-2-6 20 200 Hz: 5g reference code according to IEC 81346-2 P		
protection class IP of the enclosure IP00 of the terminal IP00 vibration resistance according to IEC 60068-2-6 reference code according to IEC 81346-2 P		No
of the enclosure IP00 of the terminal IP00 vibration resistance according to IEC 60068-2-6 reference code according to IEC 81346-2 P	on	front element
● of the terminal IP00 vibration resistance according to IEC 60068-2-6 20 200 Hz: 5g reference code according to IEC 81346-2 P		
vibration resistance according to IEC 60068-2-6 20 200 Hz: 5g reference code according to IEC 81346-2 P		IP00
reference code according to IEC 81346-2		IP00
3	ccording to IEC 60068-2-6	20 200 Hz: 5g
Substance Prohibitance (Date) 07/01/2006	ling to IEC 81346-2	P
Cabotano Fonistano (Pato)	ce (Date)	07/01/2006
operating voltage		
• at AC		
— at 50 Hz rated value 5 60 V	ed value	5 60 V
— at 60 Hz rated value 5 60 V	ed value	5 60 V
• at DC rated value 5 60 V	<u> </u>	5 60 V
Auxiliary circuit		
number of NC contacts for auxiliary contacts 0	s for auxiliary contacts	0
number of NO contacts for auxiliary contacts 0	s for auxiliary contacts	0
number of CO contacts for auxiliary contacts 0	for auxiliary contacts	0
operational current at DC-13	DC-13	
• at 24 V rated value 3 A	ıe	3 A
Connections/ Terminals		
type of electrical connection tab terminals	ection	tab terminals
Ambient conditions		
ambient temperature		
• during operation -25 +60 °C		-25 +60 °C
• during storage -40 +80 °C		-40 +80 °C
Installation/ mounting/ dimensions	dimensions	
fastening method front plate mounting		front plate mounting
height 19 mm		10 mm

width	19 mm
depth	46 mm
Certificates/ approvals	



General Product Approval









Declaration of Conformity



other

Confirmation

Further information

Siemens has decided to exit the Russian market (see here).

https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

https://www.siemens.com/ic10

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SB2304-2A

Cax online generator

http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SB2304-2A

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

https://support.industry.siemens.com/cs/ww/en/ps/3SB2304-2A

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SB2304-2A&lang=en

	_
last modified:	1/27/2022
iasi ilibulileu.	1/2//2022