

Part Number: 1727040199

Product Description: FCT Plastic Backshell for D-Sub Connector, Shielded, Shell Size 5, Straight Cable Outlet, IP67 Waterproof, with 4-40 UNC Locking Screws, Individual Packing

Status: Active

**Engineering Number: FWA5GAE** 

Series Number: 172704

**Product Category**: D-Sub Backshells

#### **Documents & Resources**

**Drawings** 

Drawing 1727040199\_sd.pdf

## **Product Environment Compliance**

#### Compliance

GADSL/IMDS	Not Relevant
China RoHS	<u> </u>
EU ELV	Not Relevant
Low-Halogen Status	Not Reviewed per IEC 61249-2-21
REACH SVHC	Not Reviewed per D(2023)8585-DC (23 Jan 2024)
EU RoHS	Compliant with Exemption 6(c) per EU 2015/863

## Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

#### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### EU RoHS Certificate of Compliance

#### **Part Details**

## General

Status	Active
Category	D-Sub Backshells
Series	172704
Description	FCT Plastic Backshell for D-Sub Connector, Shielded, Shell Size 5, Straight Cable Outlet, IP67 Waterproof, with 4-40 UNC Locking Screws, Individual Packing
IP Rating	IP67
Product Family	FCT D-Sub Connectors
Product Name	FCT Products
Туре	Plastic
UPC	889056062756

# Electrical

Shield Type	Shielded Plastic
Shielded	Yes

# Physical

Cable Diameter	9.00-11.00mm
Material - Backshell	PC+ABS
Material - Screw	Brass
Material - Seal	Elastomer
Mounting Style	Locking Screw
Net Weight	47.100/g
Orientation	Straight
Packaging Type	Bag
Plating - Backshell	Nickel
Temperature Range - Operating	-25° to +70°C
Thread Size	4-40 UNC
Thread Type	Standard
Tightening Test Torque	40 Ncm
Waterproof / Dustproof	Yes
Waterproof / Dustproof Type	IP67

# Use with Part(s)

Description	Part Number
Use With	FCT D-Sub, Size 5

This document was generated on Apr 26, 2024