

Part Number : 1731110014

Series Number : 173111 Product Category : D-Sub Backshells Product Description : FCT Plastic Backshell for D-Sub Connector, Gray, Shell Size 2, Straight or 90° Angle Cable Outlet, Flat Body, with Grip Cover and 4-40 UNC Locking Screws, Individual Packing Status : Active Engineering Number : FPHGR-2E

Documents & Resources

Drawings

Drawing 1731110014_sd.pdf

Product Environment Compliance

Compliance

| GADSL/IMDS | Not Relevant |
|--------------------|---|
| China RoHS | 6 |
| EU ELV | Not Relevant |
| Low-Halogen Status | Not Reviewed per IEC 61249-2-21 |
| REACH SVHC | Not Contained per D(2023)3788-DC (14 Jun 2023) |
| EU RoHS | Compliant with Exemption 6(a) per EU 2015/863 |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

General

| Status | Active |
|----------------|--|
| Category | D-Sub Backshells |
| Series | 173111 |
| Description | FCT Plastic Backshell for D-Sub Connector, Gray, Shell Size 2, Straight or 90° Angle Cable Outlet, Flat Body, with Grip Cover and 4-40 UNC Locking Screws, Individual Packing |
| Product Family | FCT D-Sub Connectors |
| Product Name | FCT Products |
| Туре | Plastic |
| UPC | 889056319386 |

Electrical

| Shield Type | None |
|-------------|------|
| Shielded | No |

Physical

| Cable Diameter | 8.00mm |
|-------------------------------|-----------------------|
| Color - Resin | Gray |
| Material - Backshell | PBT |
| Material - Screw | Steel |
| Mounting Style | Locking Screw |
| Net Weight | 16.700/g |
| Orientation | Straight or 90° Angle |
| Packaging Type | Bag |
| Plating - Backshell | None |
| Temperature Range - Operating | -55° to +140°C |
| Thread Size | 4-40 UNC |
| Thread Type | Standard |
| Tightening Test Torque | 40 Ncm |
| Waterproof / Dustproof | No |

Use with Part(s)

| Description | Part Number |
|-------------|-------------------|
| Use With | FCT D-Sub, Size 2 |

This document was generated on Apr 11, 2024