


EUROCARD

TE Internal #: 5148020-5  
Eurocard Connectors, Plug, Board-to-Board, 48 Position, .1 in [2.54 mm] Centerline, Printed Circuit Board, 3 Row, Right Angle, 16 Column

[View on TE.com >](#)



Connectors > PCB Connectors > Backplane Connectors > Eurocard Connectors



Connector & Housing Type: **Plug**  
Connector System: **Board-to-Board**  
Termination Post & Tail Length: **2.64 mm [ .104 in ]**  
Number of Positions: **48**  
Centerline (Pitch): **2.54 mm [ .1 in ]**

Features

Product Type Features

Connector & Housing Type	Plug
Connector System	Board-to-Board
Connector & Contact Terminates To	Printed Circuit Board
DIN Size	Half
DIN Level	II

Configuration Features

Mating & Unmating Configuration	Make First / Break Last
Number of Positions	48
Number of Rows	3
PCB Mount Orientation	Right Angle
Number of Columns	16
Number of Signal Positions	20
Rows Loaded	A, C

Contact Features



Contact Type	Pin
PCB Contact Termination Area Plating Material	Tin
Contact Base Material	Copper Alloy
Contact Current Rating (Max)	1.5 A

Termination Features

Termination Method to Printed Circuit Board	Through Hole - Solder
Termination Post & Tail Length	2.64 mm[.104 in]

Mechanical Attachment

Mating Alignment Type	Polarization
Mating Retention	Without
Mating Alignment	With
PCB Mount Alignment	With
Panel Mount Feature	With
PCB Mount Retention	With
PCB Mount Retention Type	Boardlock
Connector Mounting Type	Board Mount

Housing Features

Housing Material	Polymer - GF
Centerline (Pitch)	2.54 mm[.1 in]

Dimensions

Connector Height	12.62 mm
PCB Thickness (Recommended)	5.41 mm
Row-to-Row Spacing	2.54 mm[.1 in]

Usage Conditions

Operating Temperature Range	-55 - 105 °C[-67 - 221 °F]
-----------------------------	----------------------------

Operation/Application

Shielded	No
Circuit Application	Signal

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Tray
------------------	------



Product Compliance


For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts




TE Part # 5650479-5  
ASSY,PIN,EUROCARD,TYPE R/2,LEAD-FREE,48



TE Part # 5535091-5  
ASSEMBLY,RECEPTACLE,EUROCARD,TYPE T



TE Part # 5535071-4  
ASSY,RECEPTACLE,EUROCARD,TYPE



TE Part # 5650868-5  
ASSY,RECEPTACLE,EUROCARD,TYPE R/2,LEAD-F



TE Part # 5535070-5  
ASSY,RECEPTACLE,EUROCARD,TYPE



TE Part # 5650918-5  
ASSY,PIN,EUROCARD,TYPE R/2,LEA



TE Part # 5650868-4  
ASSY,RECEPTACLE,EUROCARD,TYPE



TE Part # 8-1393644-0  
V42254B1200C480=PC612 MESSERLE



TE Part # 8-1393640-5  
V42254B2201C480=PC612 FEDERLEI



TE Part # 5650916-5  
ASSY,PIN,EUROCARD,TYPE C/2,LEA



TE Part # 5650478-5  
ASSY,PIN,EUROCARD,TYPE C/2,LEA



TE Part # 5535070-4  
ASSY,RECEPTACLE,EUROCARD,TYPE



TE Part # 5536484-5  
ASSY,RECEPT,EURO,TYPE C/2,L-FR



TE Part # 5535034-4  
ASSY,RECEPTACLE,EUROCARD,TYPE C/2,L-FREE



TE Part # 1377389-1  
48P.IEC-F MALE CONN



TE Part # 5650893-5  
ASSY,RECEPT,EUROCARD,TYPE R/2,L-FREE,48,



TE Part # 216398-4  
48P.IEC-C MALE CONN



TE Part # 5536397-5  
ASSY,RECEPT,EURO,TYPE C/2,LEAD



TE Part # 1-5148020-5  
ASSY,PIN,EURO,"C/2",L-FREE,48



TE Part # 1-5536397-5  
ASSY,RECEPT,EURO,TYPE C/2,LEAD

Customers Also Bought



TE Part # 1-2007492-6  
SFP+assy2x1 EMI Sprg Inner LP Sn Enhance



TE Part # 6469001-1  
HM-ZD 4PR RECP 80P



TE Part # 2198702-1  
IMP100,S,H,V6P14C,LG,REW39,SL



TE Part # 1-292303-2  
USB A R/A RCPT ASSY THRU HOLE, LEAD FREE



<div>TE Part # 2344508-3</div> <div>CAGE ASSEMBLY WITH SPRING ,SFP-DD 1X4</div>	<div>TE Part # 2344645-2</div> <div>zSFP+ STACKED BELLY TO BELLY, 2X4 RECPT</div>	<div>TE Part # 2355627-4</div> <div>DDR5 NORMAL BLACK HSG &amp; NATURAL LATCH</div>	<div>TE Part # 3-2340033-4</div> <div>SFP56 STACKED 2X8 RECEPTACLE ASSEMBLY</div>
---	---	---	---

Documents

Product Drawings

ASSY,PIN,EURO,"C/2",L-FREE,48

English

ASSY,PIN,EURO,"C/2",L-FREE,48

English

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_5148020-5\_A.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_5148020-5\_A.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_5148020-5\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English