



Connectors > Terminal Blocks & Strips > Modular Terminal Blocks



Block Function: **Feed-Through**  
Modular Terminal Block Product Type: **PI-Spring Terminal Block**  
Primary Product Color: **Gray**  
Product Spacing: **6 mm [ .236 in ]**  
Number of Positions: **3**

Features

Product Type Features

|                                     |                          |
|-------------------------------------|--------------------------|
| Modular Terminal Block Product Type | PI-Spring Terminal Block |
|-------------------------------------|--------------------------|

Configuration Features

|                     |              |
|---------------------|--------------|
| Gauge Type          | 2.9 mm Dia.  |
| Number of Levels    | 1            |
| Number of Circuits  | 1            |
| Block Function      | Feed-Through |
| Number of Positions | 3            |

Electrical Characteristics

|                                                          |        |
|----------------------------------------------------------|--------|
| Operating Voltage Rating (UL & CSA) (Max) - Main Circuit | 600 V  |
| Impulse Withstanding Voltage Rating (IEC)                | 8000 V |
| Voltage Rating (CSA)                                     | 600 V  |
| Current Rating (CSA)                                     | 30 A   |
| Power Loss                                               | 1 W    |
| Dielectric Withstanding Voltage (Max)                    | 2200 V |



|                                             |        |
|---------------------------------------------|--------|
| Short-Time Withstanding Current Rating @ 1s | 480 A  |
| Voltage Rating (IEC)                        | 1000 V |
| Current Rating (UL)                         | 30 A   |
| Current Rating (IEC)                        | 32 A   |

Body Features

|                       |      |
|-----------------------|------|
| Product Weight        | 11 g |
| Primary Product Color | Gray |

Mechanical Attachment

|                         |                   |
|-------------------------|-------------------|
| DIN Rail Mounting Type  | TH35-15, TH35-7.5 |
| Connector Mounting Type | DIN Rail          |

Housing Features

|                  |           |
|------------------|-----------|
| Housing Material | Polyamide |
|------------------|-----------|

Dimensions

|                                                                     |                        |
|---------------------------------------------------------------------|------------------------|
| Main Circuit Capacity - 1 Rigid Stranded Conductor per Spring Clamp | .5 - 6 mm <sup>2</sup> |
| Main Circuit Capacity - Twin Ferrule per Spring Clamp               | .5 - 1 mm <sup>2</sup> |
| Wire Stripping Length                                               | 12.5 mm                |
| Main Circuit Capacity - 1 Non-Insulated Ferrule per Spring Clamp    | .5 - 4 mm <sup>2</sup> |
| Main Circuit Capacity - 1 Insulated Ferrule per Spring Clamp        | 26 - 12 AWG            |
| Main Circuit Capacity - 1 Flexible Conductor per Spring Clamp       | .5 - 4 mm <sup>2</sup> |
| Tool Size                                                           | 3.5 mm[.138 in]        |
| Product Depth                                                       | 41.1 mm                |
| Product Length                                                      | 41.1 mm                |
| Product Height                                                      | 72.5 mm                |
| Product Spacing                                                     | 6 mm[.236 in]          |

Usage Conditions

|                                |                            |
|--------------------------------|----------------------------|
| Installation Temperature Range | -5 - 40 °C[23 - 104 °F]    |
| Operating Temperature Range    | -55 - 110 °C[-67 - 230 °F] |

Industry Standards

|                        |          |
|------------------------|----------|
| IP Rating              | IP20     |
| UL Flammability Rating | UL 94V-0 |



Product Compliance


For compliance documentation, visit the product page on TE.com>

|                                               |                                                                                                                               |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| EU RoHS Directive 2011/65/EU                  | Compliant                                                                                                                     |
| EU ELV Directive 2000/53/EC                   | Compliant                                                                                                                     |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold                                                                                       |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JAN 2024 (240)<br>Candidate List Declared Against: JAN 2024 (240)<br>Does not contain REACH SVHC |
| Halogen Content                               | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free                                           |
| Solder Process Capability                     | Not reviewed for solder process capability                                                                                    |


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts




TE Part # 1SNK140000R0000  
MC512



TE Part # 1SNK140004R0000  
MC512-YL



TE Part # 1SNK150000R0000  
MC612



TE Part # 1SNK705911R0000  
EK2.5-3P





|                                                                                                                                 |                                                                                                                                 |                                                                                                                                   |                                                                                                                                   |
|---------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| <br>TE Part # 1SNK900001R0000<br>BAM4          | <br>TE Part # 1SNK900002R0000<br>BAZ1          | <br>TE Part # 1SNK900105R0000<br>ES-TC6        | <br>TE Part # 1SNK900107R0000<br>CS-R3         |
| <br>TE Part # 1SNK900203R0000<br>TP2           | <br>TE Part # 1SNK900205R0000<br>TP4           | <br>TE Part # 1SNK906302R0000<br>JB6-2         | <br>TE Part # 1SNK906303R0000<br>JB6-3         |
| <br>TE Part # 1SNK906305R0000<br>JB6-5       | <br>TE Part # 1SET111001R0000<br>WF003-08-GN | <br>TE Part # 1SET111002R0000<br>WF005-08-WH | <br>TE Part # 1SET111004R0000<br>WF007-12-BL |
| <br>TE Part # 1SET111006R0000<br>WF010-12-RD | <br>TE Part # 1SET111026R0000<br>WF003-08-TR | <br>TE Part # 1SET111028R0000<br>WF007-12-GR | <br>TE Part # 1SET111030R0000<br>WF025-12-BL |

Also in the Series | ENTRELEC SNK

|                                                                                                                     |                                                                                                                                          |                                                                                                                                            |
|---------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| <br>Modular Terminal Blocks(320) | <br>Terminal Block & Strip Conducting Accessories(67) | <br>Terminal Block & Strip Insulating Accessories(31) |
|---------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|

Customers Also Bought



TE Part # 1-1614884-7  
CPF 0805 10R 0.1% 25PPM 1K RL

TE Part # 1SNK706010R0000  
ZK4

TE Part # 1SNK712010R0000  
ZK16

TE Part # 1SNK900002R0000  
BAZ1

TE Part # 1SNK900624R0000  
KCO

TE Part # 1SNK905302R0000  
JB5-2

TE Part # 1SNK906302R0000  
JB6-2

TE Part # 1SNK149999R0000  
MC512PA

TE Part # 1SNK900604R0000  
CO

TE Part # 1SNL505010R0000  
C2.5/5

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_1SNK706011R0000\_A.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_1SNK706011R0000\_A.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_1SNK706011R0000\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

ENTRELEC Terminal Block - Master Catalog

ENTRELEC Terminal Block - Master Catalog

English





[ZK4-3P](#)

English

[SNK SERIES TERMINAL BLOCKS](#)

English

[ENTRELEC Terminal Blocks Catalogue \(RUS\)](#)

[Essential Entrelec Terminal Blocks](#)

French

[Essential Entrelec Terminal Blocks](#)

English

[Essential Entrelec Terminal Blocks](#)

Japanese

---

[Agency Approvals](#)

[Bureau Veritas Marine and Offshore Certificate](#)

English