1SNK710150R0000 V ACTIVE

ENTRELEC | ENTRELEC SNK

TE Internal #: 1SNK710150R0000

Modular Terminal Blocks, Ground, PI-Spring Terminal Block, Green & Yellow, Product Spacing .394 in [10 mm], 2 Position, DIN Rail,

ENTRELEC SNK

View on TE.com >



Connectors > Terminal Blocks & Strips > Modular Terminal Blocks



Block Function: Ground

Modular Terminal Block Product Type: PI-Spring Terminal Block

Primary Product Color: Green & Yellow
Product Spacing: 10 mm [.394 in]

Number of Positions: 2

Features

Product Type Features

| Troduct Type realures | |
|---|--------------------------|
| Modular Terminal Block Product Type | PI-Spring Terminal Block |
| Configuration Features | |
| Gauge Type | A6 & 5.1 mm Dia. |
| Number of Levels | 1 |
| Number of Circuits | 1 |
| Block Function | Ground |
| Number of Positions | 2 |
| Electrical Characteristics | |
| Impulse Withstanding Voltage Rating (IEC) | 8000 V |
| Dielectric Withstanding Voltage (Max) | 2200 V |
| Short-Time Withstanding Current Rating @ 1s | 1200 A |
| Body Features | |
| Product Weight | 36.2 g[1.425 oz] |
| Primary Product Color | Green & Yellow |
| Mechanical Attachment | |

TH35-15, TH35-7.5

DIN Rail

DIN Rail Mounting Type

Connector Mounting Type



Housing Features

| Housing Material | Polyamide |
|--|----------------------------|
| Dimensions | |
| Main Circuit Capacity - 1 Rigid Stranded Conductor per Spring Clamp | .5 - 16 mm² |
| Main Circuit Capacity - Twin Ferrule per Spring Clamp | 20 - 12 AWG |
| Wire Stripping Length | 15 mm[.591 in] |
| Main Circuit Capacity - 1 Non-Insulated Ferrule per Spring Clamp | .5 - 10 mm² |
| Main Circuit Capacity - 1 Insulated Ferrule per Spring Clamp | 20 - 8 AWG |
| Main Circuit Capacity - 1 Flexible Conductor per Spring Clamp | .5 - 10 mm² |
| Tool Size | 4 mm[.157 in] |
| Product Depth | 47.6 mm |
| Product Length | 47.6 mm |
| Product Height | 87.7 mm |
| Product Spacing | 10 mm[.394 in] |
| Usage Conditions | |
| Installation Temperature Range | -5 - 40 °C[23 - 104 °F] |
| Operating Temperature Range | -55 - 110 °C[-67 - 230 °F] |
| Industry Standards | |
| IP Rating | IP20 |
| UL Flammability Rating | UL 94V-0 |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|---|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |



Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts































TE Part # 1SET111037R0000 WF100-12-RD



TE Part # 1SET112014R0000 WFD025-13-BL



TE Part # 1SNA164800R0300 PR3.G2





PR5

PR30



TE Part # 1SNA174300R1700 PR3.Z2



Also in the Series | ENTRELEC SNK



Modular Terminal Blocks(320)



Terminal Block & Strip Conducting Accessories(67)



Accessories(31)

Customers Also Bought



TE Part # 1SNK705910R0000 EK2.5



TE Part # 1SNK705911R0000 EK2.5-3P



TE Part # 1SNK708150R0000 ZK6-PE



TE Part # 1SNK705152R0000

TE Part # 1SNK706410R0000 ZK2.5-SF





ZK2.5-PE-4P







Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1SNK710150R0000_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1SNK710150R0000_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1SNK710150R0000_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions**of use.

Datasheets & Catalog Pages

ENTRELEC Terminal Block - Master Catalog

ENTRELEC Terminal Block - Master Catalog

English

ZK10-PE

English

SNK SERIES TERMINAL BLOCKS

English

ENTRELEC Terminal Blocks Catalogue (RUS)

Essential Entrelec Terminal Blocks

French

Essential Entrelec Terminal Blocks

English

Essential Entrelec Terminal Blocks

Japanese

Agency Approvals

Bureau Veritas Marine and Offshore Certificate

English

1SNK710150R0000

Modular Terminal Blocks, Ground, PI-Spring Terminal Block, Green & Yellow, Product Spacing .394 in [10 mm], 2 Position, DIN Rail, ENTRELEC SNK

