
EDS06SNRNTR04Q - ACTIVE

Alcoswitch | Alcoswitch DIP EDS

TE Internal #: 5-2319848-8 DIP & SIP Switches, Gold Flash, Black, High Temperature Nylon, 6 Switch, -20 - 85 °C, DIP, Slide Actuator Style, Alcoswitch DIP EDS View on TE.com >



Switches > DIP & SIP Switches



Switch Contact Plating Material: Gold Flash

Case Color: Black

Case Material: High Temperature Nylon

Sealed Device: No

Number of Switches: 6

Features

Product Type Features

Sealed Device	No
DIP & SIP Switch Type	DIP
Actuator Style	Slide
Configuration Features	
Number of Positions	6
Number of Switches	6
Configuration (Pole-Throw)	Single Pole - Single Throw
Electrical Characteristics	
Electrical Characteristics Contact Current Rating	.025 A
	.025 A 24 VDC
Contact Current Rating	
Contact Current Rating Operating Voltage	
Contact Current Rating Operating Voltage Body Features	24 VDC
Contact Current Rating Operating Voltage Body Features Actuator Color	24 VDC White

EDS06SNRNTR04Q

DIP & SIP Switches, Gold Flash, Black, High Temperature Nylon, 6 Switch, -20 - 85 °C, DIP, Slide Actuator Style, Alcoswitch DIP EDS



Case Material	High Temperature Nylon
Contact Features	
Contact Underplating Material	Nickel
PCB Contact Termination Area Plating Material	Gold Flash
Switch Contact Plating Material	Gold Flash
Contact Base Material	Copper Alloy
Termination Features	
Termination Method to Printed Circuit Board	Surface Mount
Housing Features	
Centerline (Pitch)	2.54 mm[.1 in]
Dimensions	
Product Length	15.14 mm[.596 in]
Product Height	3.45 mm[.136 in]
Usage Conditions	
Operating Temperature Range	-20 - 85 °C
Packaging Features	
Packaging Quantity	900

uging c

Packaging Method

Tape & Reel

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability
Product Compliance Disclaimer This information is provided based on reasonable inquiry of our suppliers and based on the information they provided. This information is subject to change	

EDS06SNRNTR04Q

DIP & SIP Switches, Gold Flash, Black, High Temperature Nylon, 6 Switch, -20 - 85 °C, DIP, Slide Actuator Style, Alcoswitch DIP EDS




EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts







Also in the Series | Alcoswitch DIP EDS




Customers Also Bought

EDS06SNRNTR04Q

DIP & SIP Switches, Gold Flash, Black, High Temperature Nylon, 6 Switch, -20 - 85 °C, DIP, Slide Actuator Style, Alcoswitch DIP EDS





Documents

Product Drawings END STACK DIP 6P J RECESS T&R

English

CAD Files 3D PDF

3D

Customer View Model ENG_CVM_CVM_5-2319848-8_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_5-2319848-8_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_5-2319848-8_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions**of use.

Datasheets & Catalog Pages SWITCHES_CORE_PROGRAM_CATALOG

English