Specifications



Disconnect switch, TeSys VLS, coupling system for 6 to 8 pole switch disconnectors, size 2, 30A to 125A devices

VLS8M2

Main

Range	TeSys	
Product Or Component Type	Mechanical interlock	
Accessory / Separate Part Categor	Coupling accessory	
Range Compatibility	TeSys TeSys VARIO LS VLS3P	
Handle Colour	Black	
Handle Front Plate Colour	Grey	
Rotary Handle Padlocking	1 padlock 0.16 in (4 mm)	
Marking	0 - 1	

Complementary

Fixing Mode	By clips and screws	
Tightening Torque	4.4 lbf.in (0.5 N.m)	
Height	1.8 in (45 mm)	
Width	5.5 in (140 mm)	
Depth	1.06 in (27 mm)	
Net Weight	0.165 lb(US) (0.075 kg)	

Environment

Standards	UL98 CSA C22.2 No 4
Product Certifications	cULus EAC
Ip Degree Of Protection	IP20

Packing Units

0	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.953 in (7.500 cm)
Package 1 Width	2.087 in (5.300 cm)
Package 1 Length	5.709 in (14.500 cm)
Package 1 Weight	4.198 oz (119.000 g)
Unit Type Of Package 2	S03
Number Of Units In Package 2	35

Package 2 Height	11.811 in (30.000 cm)
Package 2 Width	11.811 in (30.000 cm)
Package 2 Length	15.748 in (40.000 cm)
Package 2 Weight	10.234 lb(US) (4.642 kg)

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

Reach Free Of Svhc	
V Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes
Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)