

Disconnect switch, TeSys VLS, protruding rotary handle, hole mounting, 65x65mm, black handle, 5mm shaft

VLSH2H5B

Main

| Range | TeSys | |
|---------------------------|-----------------------------------|--|
| Device Short Name | VLSH | |
| Product Or Component Type | Rotary handle | |
| Range Compatibility | TeSys TeSys VARIO LS VLS3P | |
| Handle Colour | Black | |
| Handle Front Plate Colour | Grey | |
| Rotary Handle Padlocking | 1 to 3 padlocks 0.20.3 in (48 mm) | |
| Marking | 0 - 1 OFF-ON | |

Complementary

| Fixing Mode | Hole 0.9 in (22.5 mm) |
|-------------------|-------------------------|
| Tightening Torque | 20.36 lbf.in (2.3 N.m) |
| Base Dimension | 65 x 65 mm |
| Height | 2.6 in (65 mm) |
| Width | 2.6 in (65 mm) |
| Depth | 2.85 in (72.5 mm) |
| Net Weight | 0.163 lb(US) (0.074 kg) |

Environment

| Ip Degree Of Protection | IP65 |
|---------------------------|-----------------|
| Nema Degree Of Protection | NEMA 1 |
| | NEMA 2 UL 508 |
| | NEMA 3R UL 508 |
| | NEMA 4 UL 508 |
| | NEMA 4X UL 508 |
| | NEMA 12 UL 508 |
| | NEMA 12K UL 508 |

Packing Units

| Unit Type Of Package 1 | PCE | |
|------------------------------|---------------------|--|
| Number Of Units In Package 1 | 1 | |
| Package 1 Height | 2.559 in (6.500 cm) | |
| Package 1 Width | 2.559 in (6.500 cm) | |
| Package 1 Length | 2.559 in (6.500 cm) | |

| Package 1 Weight | 2.328 oz (66.000 g) |
|------------------------------|------------------------|
| Unit Type Of Package 2 | S02 |
| Number Of Units In Package 2 | 40 |
| Package 2 Height | 5.906 in (15.000 cm) |
| Package 2 Width | 11.811 in (30.000 cm) |
| Package 2 Length | 15.748 in (40.000 cm) |
| Package 2 Weight | 6.62 lb(US) (3.002 kg) |

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

| Reach Free Of Svhc | |
|----------------------------|---|
| Toxic Heavy Metal Free | |
| Mercury Free | |
| Rohs Exemption Information | Yes |
| | |
| Reach Regulation | REACh Declaration |
| Eu Rohs Directive | Compliant EU RoHS Declaration |
| China Rohs Regulation | China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope) |