

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



**ISSUE NUMBER** ORIGINAL

(1)

**SPECIFICATIONS:** 43 MATERIAL: HOUSING: HI-TEMP THERMOPLASTIC, PPS CONTACT: COPPER ALLOY 8 PLATING: 15µ" GOLD PLATING ON CONTACT AREA, 4 **ELECTRICAL VOLTAGE RATING:** 250 VAC RMS CURRENT RATING: 1A 30 DIELECTRIC WITHSTANDING VOLTAGE: 500VAC RMS 60Hz FOR 60s 3.50 **INSULATION RESISTANCE:** 1000 MEGA OHMS MIN AT 500VDC 6.20 CONTACT RESISTANCE: 30 mohms max **MECHANICAL RETENTION FORCE:** 460g MIN PER CONTACT **INSERTION FORCE:** 

## TIN PLATING ON SOLDERING AREA

230g MAX PER CONTACT PAIR 15g MIN PER CONTACT PAIR

**ENVIRONMENTAL TEMPERATURE RANGE:** 


WITHDRAWAL FORCE:


-55°C TO +105°C

NOTE:

4 TO 124 POSITIONS ARE AVAILABLE EXCEPT 18, 28, 34, 38, 42 TO 46, 54 TO 58 POSITIONS

802 SERIES CARD EDGE CONNECTOR		ACAD REFERENCE NO.: 802 Assembly		UNIT: MM
		DRAWN: J.L.	DATE: June 6, 2023	
		CHECKED: DATE:		
EDAGE EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: 1:1	SHEET 1 OF	1
	OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 802-030-356-201		ISSUE
	CE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 802-030-	356-201	1





## SECTION A-A SCALE 1 : 1



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.