







Copyright FCI.

spec ref	-	dr	Hai-Ling Liu	2014/07/16	projection	MM	size	A2	scale	4:1
tolerance std	ISO 406 ISO 1101	eng	Sunny2 Liu	2015/11/25	chr	Terris Liu	ecn no	ELX-DG-22466-1	rel level	Released
surface	ISO 1302	appr	Pei-Ming Zheng	2015/11/25	product family	HPCE R/A - ENHANCED WALL P+S CONFIGURATION- UNIVERSAL	dwg no	10130961	rev	B
				www.fci.com	cat. no.	Product - Customer Drw	sheet 1 of 4			

1		2		3		4		5		6		7		8	
CONTACT TYPE	TOP LAYER DESCRIPTION	TABLE 1 (HPCE / SOLDER TAILS) PLATED THROUGH-HOLE REQUIREMENTS													
		DRILLED HOLE DIAMETER	COPPER THICKNESS	TIN-LEAD THICKNESS	TIN THICKNESS	FINISHED HOLE DIAMETER									
POWER & SIGNAL	TIN-LEAD	1.10-1.16 (1.15 DRILL)	0.025 - 0.050	0.005 - 0.015	--	0.94 - 1.10									
	IMMERSION TIN	1.10-1.16 (1.15 DRILL)	0.025 - 0.050	--	0.9 - 1.5um	0.94 - 1.10									
	COPPER	1.10-1.16 (1.15 DRILL)	0.025 - 0.050	--	--	0.94 - 1.10									



dr	Hai-Ling Liu	2014/07/16	projection	MM	size	A2	scale	4:1
eng	Sunny2 Liu	2015/11/25					ecn no	ELX-DG-22466-1
chr	Terris Liu	2015/11/25	product family	rel level			Released	
appr	Pei-Ming Zheng	2015/11/25						
	title	HPCE R/A - ENHANCED WALL			dwg no	10130961		rev
		P+S CONFIGURATION- UNIVERSAL				B		
www.fci.com	cat. no.	Product - Customer Drw				sheet 2 of 4		



dr	Hai-Ling Liu	2014/07/16			size	scale			
eng	Sunny2 Liu	2015/11/25			A2	4:1			
chr	Terris Liu	2015/11/25			ecn no	ELX-DG-22466-1			
appr	Pei-Ming Zheng	2015/11/25			product family	rel level	Released		
			title		HPCE R/A - ENHANCED WALL	dwg no	10130961	rev	B
			P+S CONFIGURATION - UNIVERSAL						
www.fci.com		cat. no.	Product - Customer Drw			sheet 3 of 4			

