
\*\* Not all features are shown in this drawing. For more detailed information, please contact your Fair-Rite representative.

## UNCONTROLLED ~CATALOG~ DRAWING

| SIZE | PART NO. | REV. | REV. | ~



## **ELECTRICAL SPECIFICATIONS**

IMPEDANCE (OHMS)				
25 MHz	100 MHz			
154 Min.	217 Min.			

DIMENSIONS

## **BOLD NUMBERS ARE IN MILLIMETERS**

LIGHT NUMBERS ARE IN INCHES

## NOTES:

- 1 PARTS TO MEET FAIR-RITE PRODUCTS CORP. GENERIC VISUAL INSPECTION CRITERIA FOR SHIELD BEADS.
- 2 IMPEDANCE MEASURED ON A HP4193A, USING AN 04193-87001 PROBE KIT WITH A WIRE LENGTH OF 25.4mm [1"].
- 3 PART MEETS FAIR-RITE PRODUCTS CORP. SOP# ELC-55 SPECIFICATION FOR THERMAL SHOCK RESISTANCE.
- 4 WIRE MEETS FAIR-RITE PRODUCTS CORP. SOP# ELC-57, SPECIFICATION FOR SOLDERABILITY.

5 - PART IS BULK PACKAGED

[ <b>月</b> F.	AIR-RITE	PRODU	JCTS	CORP.
TITLE	BEAD-ON	I-LEAD	ASSE	MBLY

DRAWN BY DATE D. FOOTE 12/27/2019 B 2743012201 ~

APPRVD BY SCALE: NONE SHEET 1 OF 1

FR# 43