

Part Number : 528082770

**Product Description :** 1.00mm Pitch Easy-On FFC/FPC Connector, Surface Mount, Vertical,

Non-ZIF, Tin (Sn) Plating, 27 Circuits

Status: Active

Series Number: 52808

**Product Category:** FFC / FPC Connectors

#### **Documents & Resources**

#### **Drawings**

Drawing 528082770\_sd.pdf

**3D Models and Design Files**3D Model 528082770\_stp.zip

#### **Specifications**

Packaging Specification 528089200-200.pdf Product Specification PS-52808-004-001.pdf

### **Product Environment Compliance**

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	<b>©</b>
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2- 21
REACH SVHC	Not Contained per D(2023)8585-DC (23 Jan 2024)
EU RoHS	Compliant per EU 2015/863

#### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474

## **Part Details**

### General

Status	Active
Category	FFC / FPC Connectors
Series	52808
Description	1.00mm Pitch Easy-On FFC/FPC Connector, Surface Mount, Vertical, Non-ZIF, Tin (Sn) Plating, 27 Circuits
Product Family	Easy-On FFC FPC Connectors
Product Name	Easy-On
UPC	822348143535

## Agency

UL	E29179
<b>0 -</b>	

### Electrical

Current - Maximum per Contact	0.5A
Voltage - Maximum	125V

# Physical

Actuator Type	Non-ZIF
Circuits (Loaded)	27
Circuits (maximum)	27
Color - Resin	Natural
Contact Position	N/A
Durability (mating cycles max)	10
Mated Height	5.05mm
Material - Metal	Phosphor Bronze
Material - Plating Mating	Tin-Bismuth
Material - Plating Termination	Tin-Bismuth
Material - Resin	High Temperature Thermoplastic
Net Weight	669.900/mg

Orientation	Vertical
Packaging Type	Embossed Tape on Reel
PCB Locator	No
PCB Mounting	Surface Mount
PCB Retention	None
Pitch - Mating Interface	1.00mm
Pitch - Termination Interface	1.00mm
Polarized to PCB	No
Stackable	No
Temperature Range - Operating	-20° to +80°C
Wire/Cable Type	FFC/FPC

## Mates With / Use With

## Mates with Part(s)

Description	Part Number
1.00mm Pitch Premo-Flex FFC Jumpers	<u>15167</u>
1.00mm Pitch Premo-Flex FFC Jumpers	<u>15267</u>
1.00mm Pitch Premo-Flex FFC Jumpers	98267

This document was generated on Apr 14, 2024