

FPC

TE Internal #: 1-2328724-3 FPC Connectors, Wire-to-Board, 13 Position, .3 mm Centerline, Non-ZIF, Right Angle, Surface Mount, Height .039 in [1 mm], Width 5.4 mm [.21 in], Gold

View on TE.com >

connectivity

Connectors > PCB Connectors > Wire-to-Board Connectors > FFC, FPC & Ribbon Connectors > FPC Connectors > 0.3mm FPC Connectors



Connector System: Wire-to-Board

Number of Positions: 13

Centerline (Pitch): .3 mm

Insertion Force Type: Non-ZIF

PCB Mount Orientation: Right Angle

All 0.3mm FPC Connectors (6)

Features

Product Type Features

PCB Connector Assembly Type	PCB Mount Receptacle	
Connector Product Type	Connector Assembly	
Connector System	Wire-to-Board	
Insertion Force Type	Non-ZIF	
Connector & Contact Terminates To	Printed Circuit Board	
Configuration Features		
Compatible With Wire & Cable Type	FFC, FPC	
Number of Rows	1	
Number of Positions	13	
PCB Mount Orientation	Right Angle	
Electrical Characteristics		
Operating Voltage	30 VAC	

1-2328724-3

FPC Connectors, Wire-to-Board, 13 Position, .3 mm Centerline, Non-ZIF, Right Angle, Surface Mount, Height .039 in [1 mm], Width 5.4 mm [.21 in], Gold



Body Features

Actuator Color	Black
Primary Product Color	Natural
Contact Features	
Contact Layout	Inline
Contact Type	Socket
Contact Shape & Form	Standard Flat
PCB Contact Termination Area Plating Material	Gold
Contact Base Material	Copper Alloy
Contact Mating Location	Bottom
Contact Mating Area Plating Material	Gold
Contact Current Rating (Max)	.5 A
Termination Features	
Termination Method to Printed Circuit Board	Surface Mount
Mechanical Attachment	
Mating Alignment	With
Housing Features	

Housing Material	LCP (Liquid Crystal Polymer)	
Centerline (Pitch)	.3 mm	
Dimensions		
Connector Height	1 mm[.039 in]	
Connector Width	5.4 mm[.21 in]	
Accepts Flex Cable Thickness	.2 mm[.008 in]	
Jsage Conditions		
Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]	
Packaging Features		
Packaging Method	Tape & Reel	
Product Compliance For compliance documentation, visit the product page on TE.com>		
EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	

C For support call+1 800 522 6752

1-2328724-3

FPC Connectors, Wire-to-Board, 13 Position, .3 mm Centerline, Non-ZIF, Right Angle, Surface Mount, Height .039 in [1 mm], Width 5.4 mm [.21 in], Gold



China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC	
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Customers Also Bought

E TE	THE TE	ETE	
TE Part #4-2176058-1 RLP73K 3A R47 5% 2K RL	TE Part #4-2328724-5 45PIN 0.3MMP FPC CONNECTOR, FRONT FLIP	TE Part #4-2176381-5 RQ 0805 35K7 0.1% 10PPM 5K RL	TE Part #829131P026 ES2000-NO.1-C1-0-25MM
TE Part #6-1423008-1 T92S7D1X-12-99	TE Part #AS007-35PN RECEPT. 2 HOLE MNT. TYPE 0 AS MICRO 7	TE Part #AS010-35PN RECEPT.2 HOLE MNT.TYPE 0	TE Part #GV-7 GASKETS FOR SIZE 7 M INI CONNECTOR

1-2328724-3

FPC Connectors, Wire-to-Board, 13 Position, .3 mm Centerline, Non-ZIF, Right Angle, Surface Mount, Height .039 in [1 mm], Width 5.4 mm [.21 in], Gold



TE Part #5-1423008-7 **T92-4012,001**

Documents

Product Drawings 13PIN 0.3MMP FPC CONNECTOR, FRONT FLIP

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-2328724-3_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-2328724-3_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-2328724-3_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Product Specification

English