SAFETY DATA SHEET SRA FLS441 REPAIR FLUX AND CLEANER

DATE REVISED: January 31, 2019

SECTION 1 -- IDENTIFICATION

Product Name/Part number: FLS441 Mfg. Phone No. (508) 668-6044

Recommended use: Flux and Cleaner

Manufacturer: SRA Soldering Products Emergency Contact: INFOTREC

24 Walpole Park S., STE 10 **Emergency Phone: 1-535-5353** Walpole MA 02081 **For other info:** (508) 668-6044

SECTION 2 – HAZARD(S) IDENTIFICATION

Classification of the substance or mixture

GHS Classification in accordance with OSHA HCS (29 CFR 1910)

Eye irritation (Category 2A) H319

See below for full text of H-Statements

GHS Label Elements, including precautionary statements

Pictogram(s): Signal Word: Warning



Hazard Statement(s)

H319 Causes serious eye irritation

Precautionary statement(s)

P264 Wash skin thoroughly after handling

P280 Wear protective clothing, eye protection, and face protection

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice or attention

Hazards not otherwise classified or not covered by GHS: None

SECTION 3 – COMPOSITION INFORMATION

Components	CAS Number	%
Polyethylene glycol	25322-68-3	65-90
Carboxylic acid	77-92-9	10-35

SDS. SRA FLS441. Page 1 of 5

SECTION 4 – FIRST AID MEASURES

Description of first aid measures

General advice: Consult a physician. Show this safety data sheet to the doctor in

attendance. Move out of dangerous area.

Inhalation: If breathed in, move to fresh air. If not breathing, give artificial respiration. Consult

a physician.

Eyes: Rinse thoroughly with plenty of water for at least 15 minutes and consult a

physician. Continue rinsing eyes during transport to hospital.

Skin: Wash off with soap and plenty of water. Consult a physician.

Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Rinse mouth with water. Consult a physician.

Most Important Symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in section 2 (labeling)

SECTION 5 – FIREFIGHTING MEASURES

Suitable Extinguishing Media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special Hazards: No data available

Special protective actions for firefighters: Wear self-contained breathing apparatus for

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions and Equipment and emergency procedures: Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

See section 8 for personal protection.

Environmental Precautions: Prevent further leakage or spillage if safe to do so.

In Case Material is spilled: Contain spillage, absorb with sawdust, then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations.

SECTION 7 - HANDLING AND STORAGE

Precautions for safe handling: Avoid contact with skin and eyes. Avoid inhalation of vapors, fumes, or mist.

For full precaution statements see Section 2

Storage Requirements: Store in plastic containers, tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

SDS. SRA FLS441. Page 2 of 5

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION CONTROL PARAMETERS

OSHA Permissible Exposure Limit (PEL): 10 mg/m³
ACGIH Threshold Limit Value (TLV): 10 mg/m³

- **Engineering Controls:** Use local exhaust ventilation to maintain air concentrations of vapors and fumes below occupational exposure standards.
- **Respiratory Protection:** Where risk assessment shows air-purifying respirators are appropriate, use a full-face respirator with multi-purpose combination (USA) or ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested an approved under appropriate government standards such as NIOSH (USA) or CEN (EU).
- **Protective Gloves:** Handle with gloves. (Nitrile Rubber recommended) Gloves must be inspected prior to use. Use proper glove removal techniques (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good lab practices. Wash and dry hands after handling.
- **Eye Protection:** Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (USA) or EN 166 (EU)
- **Body Protection:** Impervious clothing, flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

SDS. SRA FLS441. Page 3 of 5

SECTION 9 - PHYSICAL AND CHEMICAL CHARACTERISTICS

Appearance Colorless liquid

Odor None

Odor thresholdNo data availablepHNo data availableMelting point/Freezing pointNo data available

Initial boiling point and boiling range 102°C / 220°F (appr006)

Flash point

Evaporation rate
No data available
Flammability (Solid, gas)
Not applicable

Upper flammability or explosive limits Lower flammability or explosive limitsUpper explosion limit: N/A
Lower explosion limit: N/A

Vapor pressure No data available

Vapor density (Air = 1) 2.3

Relative density (Water = 1)0.810 @ 20-25°CSolubility(ies)Soluble in waterPartition coefficient: n-octanol/waterNo data availableAuto-ignition temperatureNot applicableDecomposition temperatureNo data availableViscosityNo data available

SECTION 10 - STABILITY AND REACTIVITY

Reactivity: No data available

Stability: Product is stable under recommended storage conditions

Possibility of hazardous reactions: No data available

Conditions to Avoid: Excessive heat

Incompatibility: Oxidizing agents, strong acids

Hazardous Decomposition Products Carbon oxides (Under fire conditions)

In the event of fire: See Section 5

SECTION 11 - TOXICOLOGICAL INFORMATION

Likely Route(s) of Exposure: Inhalation, ingestion, skin and eye contact

Symptoms (Immediate and Chronic) from

Acute ExposureNo data availableProlonged or Repeated ExposureNo data available

Measure(s) of toxicity No data available

Is this chemical listed in the National Toxicology Program (NTP) Report on Carcinogens?

No data available

Is this chemical found to be a potential carcinogen in the International Agency for

 $Research\ on\ Cancer\ (IARC)\ Monographs\ or\ by\ the\ Occupational\ Safety\ and\ Health$

Administration (OSHA) No data available

Additional information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated

SDS. SRA FLS441. Page 4 of 5

SECTION 12 - ECOLOGICAL INFORMATION

Persistence and degradabilityNo data availableBioaccumulative potentialNo data availableMobility in soilNo data available

Other adverse effects Hazard to ozone layer: No data available

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Offer surplus and non-recyclable solutions to a licensed disposal company. Contact

a licensed professional waste disposal service to dispose of this material.

Contaminated packaging Dispose of as unused product.

SECTION 14- TRANSPORTATION

D.O.T. (USA) Not regulated

SECTION 15 - REGULATORY INFORMATION

SARA 302 Components No Chemicals in this material are subject to the reporting

requirement of SARA Title III, Section 302.

SARA 313 Components No chemicals in this material are subject to the reporting

requirement of SARA Title III, Section 313.

SARA 311/312 Hazards No Chemicals in this material are subject to the reporting

requirement of SARA Title III, Section 311/312.

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16 - OTHER INFORMATION

Further information:

Judgments as to the suitability of information herein or the purchaser's purposes are necessarily the purchaser's responsibility. The above information does not represent any guarantee of the properties of the product. It is believed to be correct, but does not purport to be all inclusive and should be used only as a guide. Reasonable care has been taken in the preparation of this material, and is based on the present state of our knowledge.

SRA Soldering Products shall not be held liable for any damage resulting from handling or from contact with the above product.

SDS. SRA FLS441. Page 5 of 5