



MEAS | MEAS FX29

TE Internal #: 20009605-02

TE Internal Description: FX292X-040B-0050-L

Compact Compression Load Cell

[View on TE.com >](#)

Sensors > Force Sensors > Force Sensor Elements > Compact Compression Load Cell



Force Sensor Type: OEM Compression Load Cells

Full Scale Range: 50 lbf

Operating Temperature Range: 0 - 50 °C [ 32 - 122 °F ]

Output Signal Type: 20 mV/V

[All Compact Compression Load Cell \(46\)](#)

## Features

### Product Type Features

Force Sensor Type	OEM Compression Load Cells
-------------------	----------------------------

### Electrical Characteristics

Supply Voltage Range	5 VDC
Full Scale Range	50 lbf

### Usage Conditions

Accuracy	±1 % of FS
Operating Temperature Range	0 - 50 °C[32 - 122 °F]

### Operation/Application

Output Signal Type	20 mV/V
--------------------	---------

### Other

Zero Shift in CTR	±.05 % of FS
Sensitivity Shift	±.05 % of FS
Force Direction	Compression

## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
------------------------------	---------------------------

EU ELV Directive 2000/53/EC

Compliant with Exemptions

China RoHS 2 Directive MIIT Order No 32, 2016

Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JAN 2024 (240)

Candidate List Declared Against: JAN 2024 (240)

SVHC > Threshold:  
2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one (.14% in Component Part)

Halogen Content

Not Yet Reviewed for halogen content

Solder Process Capability

Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts



## Also in the Series | MEAS FX29



## Customers Also Bought



TE Part # FC2311-0000-0250-L  
COMPRESSION LOAD CELL - 100MV / 0.5-4.5V



TE Part # 3-1630027-2  
HSC300 12R8 5%



TE Part # 796739-2  
2 POS PCB MT 9.52MM HI CRT TBK



TE Part # 20009605-01  
Compact Compression Load Cell



TE Part # 1734595-5  
1.0 WTB SR VT HDR 5 POS



TE Part # 2327906-4  
KEYED GUIDE PIN , MACHINED, MULTIGIG BP

## Documents

### CAD Files

3D PDF

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_20009605-02\\_D.2d\\_dxf.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_20009605-02\\_D.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_20009605-02\\_D.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages

[FX29 COMPRESSION LOAD CELL](#)

English