2356408-1 ACTIVE

AMPSEAL 16

TE Internal #: 2356408-1

Data Connectivity Headers, A, Cable-to-Board, 4 Position, .21 in [5.3 mm] Centerline, Sealable, Shielded, Vertical, Signal, Board

Mount, AMPSEAL 16

View on TE.com >




Connectors > Automotive Connectors > Data Connectivity Systems > Data Connectivity Headers











Connector & Keying Code: A

Connector System: Cable-to-Board

Number of Positions: 4

Centerline (Pitch): 5.3 mm [.21 in]

Sealable: Yes

Features

Product Type Features

Connector & Contact Terminates To	Printed Circuit Board
Connector System	Cable-to-Board
Sealable	Yes
Configuration Features	
Number of Positions	4
PCB Mount Orientation	Vertical
Electrical Characteristics	
Impedance	50 Ω
Body Features	
Connector & Keying Code	A
Mechanical Attachment	
Connector Mounting Type	Board Mount



Centerline (Pitch)	5.3 mm[.21 in]
Usage Conditions	
Operating Temperature (Max)	105 °C[221 °F]
Operating Temperature Range	-40 - 105 °C[-40 - 221 °F]
Operation/Application	
Shielded	Yes
Circuit Application	Signal
Packaging Features	
Packaging Quantity	240
Packaging Method	Box & Tray
Other	
Outer Contact Plating Material	Tin (Sn)

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) SVHC > Threshold: Pb (4% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides



on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 2338211-1 CAP PIN ASSY, 4P, W2W, SEALED COAX



TE Part # 2338212-1
PLUG SOCKET ASSY, 4P, W2W,
SEALED COAX



TE Part # 2339729-1 CAP PIN ASSY, 4P, FLANGE, SEALED COAX



TE Part # 2355843-1 1POS,COAX,SOC HSG ASSY,SLD



TE Part # 2355844-1 1POS,PIN DIA 2.5,HDR ASSY,180DEG



TE Part # 2356413-2 COAX,SOLDER,180DEG



TE Part # 2355844-2 1POS,PIN DIA 2.5,HDR ASSY,180DEG



TE Part # 2355844-3 1POS,PIN DIA 2.5,HDR ASSY,180DEG



TE Part # 2355844-4 1POS,PIN DIA 2.5,HDR ASSY,180DEG

TE Part # 2338211-2 CAP PIN ASSY, 4P, W2W, SEALED COAX

TE Part # 2338211-3
CAP PIN ASSY, 4P, W2W, SEALED
COAX

TE Part # 2338211-4
CAP PIN ASSY, 4P, W2W, SEALED
COAX

TE Part # 2338212-2 PLUG SOCKET ASSY, 4P, W2W, SEALED COAX TE Part # 2338212-3
PLUG SOCKET ASSY, 4P, W2W,
SEALED COAX

TE Part # 2338212-4
PLUG SOCKET ASSY, 4P, W2W,
SEALED COAX

TE Part # 2355843-2 1POS,COAX,SOC HSG ASSY,SLD




TE Part # 2355843-3 1POS,COAX,SOC HSG ASSY,SLD TE Part # 2355843-4 1POS,COAX,SOC HSG ASSY,SLD TE Part # 2356408-2 4POS,PIN DIA 2.8,HDR ASSY,180DEG, COD B TE Part # 2356408-3 4POS,PIN DIA 2.8,HDR ASSY,180DEG, COD C

Also in the Series | AMPSEAL 16



Automotive Connector Caps & Covers (1)



Automotive Connector Locks & Position Assurance(2)



Automotive Housings(244)



Automotive Terminals(33)



Connector Backshells(84)




Connector Seals & Cavity Plugs(4)



Data Connectivity Headers(2)



Data Connectivity Housings(3)



Customers Also Bought





















Documents

Product Drawings

4P,COAX,HDR ASSY,180DEG,COD A,SHORT

English

4P,COAX,HDR ASSY,180DEG,COD A,SHORT

English

CAD Files

Customer View Model

ENG_CVM_CVM_2356408-1_A1.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_2356408-1_A1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2356408-1_A1.3d_igs.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English