
## COAXIAL SURGE PROTECTOR DEVICE, Quarter-wave stub technology with integrated high-pass filter

3407.17.0023

## **Properties**

- Residual voltage reduced by 80 % compared to standard types of series 3400
- Residual energy reduced of more than 99.9 % compared to series 3401 and 3402
- DC-blocking on protected side of the device
- Available for applications from 70 MHz to 18 GHz
- Return loss 20 dB min. and Insertion loss 0.2 dB max.









Product configuration	
Main path connectors	Port 1: unprotected, N jack (female)
	Port 2: protected, N jack (female)
Mounting and grounding	MH74 (bulkhead mounting), M8 (screw), brk (bracket)
Side of bulkhead	protected side

Interface and material data	
Housing material / plating	Brass / SUCOPLATE (R) Plating
Center contact, material / plating	Port 1: Copper Beryllium Alloy / Gold Plating (without Nickel underplating)
	Port 2: Copper Beryllium Alloy / Gold Plating (without Nickel underplating)

Electrical data		
Impedance	50 Ω	
Frequency frame	220 MHz to 450 MHz	
Return loss typical	20 dB	
Insertion loss typical	0.1 dB	
CW power frame	500 W	

Electrical remarks	
Surge current handling capability	50 multiple kA (test pulse 8/20 μs)
Residual pulse energy	0.03 µJ typically (test pulse 4 kV 1.2/50 µs / 2 kA 8/20 µs) main path - protected side
Gas tube	No DC / shorted QW or LC



## COAXIAL SURGE PROTECTOR DEVICE, Quarter-wave stub technology with integrated high-pass filter

3407.17.0023

Mechanical data		
Weight	550 g	
Mating cycles	500	
	·	

Environmental data	
Operation temperature	-40 °C 85°C
Storage temperature	-40 °C 85°C
Ingress protection (IP Rating)	IP65

## Comment

SPD acc. EN 61643-21 categoriy D1, high energy test 25 kA, 10/350 us Mounting set 9075.99.0040 for bulkhead mounting seperately included 450 MHz to 465 MHz, RL typ.19 dB, IL typ. 0.1 dB

Ordering Information Table	
Item number	Item description
23008638	3407.17.0023

HUBER+SUHNER is certified by ISO 9001, ISO 14001, ISO 45001, IATF 16949, AS/EN 9100 and ISO/TS 22163-IRIS. Waiver: Facts and figures herein are for information only and do not represent any warranty of any kind. DOCUMENT PIM-P1964 / Date of publication: 16.11.2023 / uncontrolled copy

