





PCN Number:		20231218002.0.A	PCN Date:		December 21, 2023
Title:	Datasheet for SN74AHCT1G32-Q1, SN74AHCT1G125, SN74AHCT1G04, SN74AHCT1G00, SN74AHCT1G86, SN74AHCT1G02, SN74AHCT1G126, SN74AHCT1G14, SN74AHCT1G08				
Customer Contact:		Change Management team	Dept:	Quality Services	
Change Type:		Electrical Specification			
PCN Details					
Description of Change:					
Texas Instruments Incorporated is announcing an information only notification. The product datasheet(s) is being updated as summarized below. The following change history provides further details.					
 TEXAS INSTRUMENTS		SN74AHCT1G32-Q1 SCLS606D – MARCH 2005 – REVISED OCTOBER 2023			
Changes from Revision C (November 2022) to Revision D (October 2023)					Page
• Added <i>Applications</i> section, updated title, added package size to <i>Package Information</i> table, <i>Pin Functions</i> table, added <i>Application and Implementation</i> section, added <i>Thermal Information</i> table, added <i>Related Documentation</i>					1
• Removed machine model from <i>ESD Ratings</i> table.....					4
• Updated RθJA values: DCK = 252 to 289.2, all values in °C/W					4
 TEXAS INSTRUMENTS		SN74AHCT1G125 SCLS378O – AUGUST 1997 – REVISED OCTOBER 2023			
Changes from Revision N (January 2016) to Revision O (October 2023)					Page
• Updated the numbering format for tables, figures, and cross-references throughout the document.....					1
• Updated thermal values for DCK package from RθJA = 287.6 to 289.2, RθJC(top) = 97.7 to 205.8, RθJB = 65 to 176.2, ΨJT = 2.0 to 117.6, ΨJB = 64.2 to 175.1, RθJC(bot) = N/A, all values in °C/W					5
 TEXAS INSTRUMENTS		SN74AHCT1G04 SCLS319Q – MARCH 1996 – REVISED OCTOBER 2023			
Changes from Revision P (December 2014) to Revision Q (October 2023)					Page
• Updated the numbering format for tables, figures, and cross-references throughout the document.....					1
• Updated thermal values for DCK package from RθJA = 287.6 to 289.2, RθJC(top) = 97.7 to 205.8, RθJB = 65 to 176.2, ΨJT = 2 to 117.6, ΨJB = 64.2 to 175.1, RθJC(bot) = N/A, all values in °C/W					5
 TEXAS INSTRUMENTS		SN74AHCT1G00 SCLS316O – MARCH 1996 – REVISED OCTOBER 2023			
Changes from Revision N (March 2015) to Revision O (October 2023)					Page
• Added package size to <i>Package Information</i> table.....					1
• Updated thermal values for DCK package from RθJA = 287.6 to 289.2, RθJC(top) = 97.7 to 205.8, RθJB = 65 to 176.2, ΨJT = 2 to 117.6, ΨJB = 64.2 to 175.1, RθJC(bot) = N/A, all values in °C/W					5

Changes from Revision N (August 2022) to Revision O (October 2023) Page

- Updated thermal values for DCK package from R θ JA = 287.6 to 289.2, R θ JC(top) = 97.7 to 205.8, R θ JB = 65 to 176.2, Ψ JT = 2 to 117.6, Ψ JB = 64.2 to 175.1, R θ JC(bot) = N/A, all values in °C/W **5**

Changes from Revision K (February 2003) to Revision L (October 2023) Page

- Added *Applications* section, *Package Information* table, *Pin Functions* table, *ESD Ratings* table, *Thermal Information* table, *Device Functional Modes*, *Application and Implementation* section, *Device and Documentation Support* section, and *Mechanical, Packaging, and Orderable Information* section **1**
- Updated thermal values for DCK package from R θ JA = 252 to 289.2, all values in °C/W **4**

Changes from Revision J (December 2014) to Revision K (October 2023) Page

- Updated thermal values for DCK package from R θ JA = 287.6 to 289.2, R θ JC(top) = 97.7 to 205.8, R θ JB = 65 to 176.2, Ψ JT = 2 to 117.6, Ψ JB = 64.2 to 175.1, R θ JC(bot) = N/A, all values in °C/W **5**

Changes from Revision P (June 2013) to Revision Q (October 2023) Page

- Added *Applications*, *Package Information* table, *Pin Functions* table, *Thermal Information* table, *Device Functional Modes*, *Device and Documentation Support* section, *Application and Implementation* section, and *Mechanical, Packaging, and Orderable Information* section **1**
- Updated thermal values for DCK package from R θ JA = 252 to 289.2, all values in °C/W **4**

Changes from Revision Q (April 2016) to Revision R (October 2023) Page

- Updated the numbering format for tables, figures, and cross-references throughout the document **1**
- Updated thermal values for DCK package from R θ JA = 277.5 to 289.2, R θ JC(top) = 92.9 to 205.8, R θ JB = 64.2 to 176.2, Ψ JT = 1.9 to 117.6, Ψ JB = 63.5 to 175.1, R θ JC(bot) = N/A, all values in °C/W **5**

The datasheet number will be changing.

Device Family	Change From:	Change To:
SN74AHCT1G32-Q1	SCLS606C	SCLS606D
SN74AHCT1G125	SCLS378N	SCLS378O
SN74AHCT1G04	SCLS319P	SCLS319Q
SN74AHCT1G00	SCLS316N	SCLS316O
SN74AHCT1G86	SCLS324N	SCLS324O
SN74AHCT1G02	SCLS341K	SCLS341L
SN74AHCT1G126	SCLS380J	SCLS380K

SN74AHCT1G14	SCLS322P	SCLS322Q
SN74AHCT1G08	SCLS315Q	SCLS315R

These changes may be reviewed at the datasheet links provided.

<http://www.ti.com/product/SN74AHCT1G32-Q1>

<http://www.ti.com/product/SN74AHCT1G125>

<http://www.ti.com/product/SN74AHCT1G04>

<http://www.ti.com/product/SN74AHCT1G00>

<http://www.ti.com/product/SN74AHCT1G86>

<http://www.ti.com/product/SN74AHCT1G02>

<http://www.ti.com/product/SN74AHCT1G126>

<http://www.ti.com/product/SN74AHCT1G14>

<http://www.ti.com/product/SN74AHCT1G08>

Reason for Change:

To accurately reflect device characteristics.

Anticipated impact on Fit, Form, Function, Quality or Reliability (positive / negative):

No anticipated impact. This is a specification change announcement only. There are no changes to the actual device

Changes to product identification resulting from this PCN:

None.

Product Affected:

74AHCT1G00DCKRE4	74AHCT1G08DCKRG4	CAHCT1G32QDCKRQ1	SN74AHCT1G08DCKT
74AHCT1G00DCKRG4	74AHCT1G08DCKTG4	SN74AHCT1G00DCK3	SN74AHCT1G125DCK3
74AHCT1G00DCKTG4	74AHCT1G125DCKRG4	SN74AHCT1G00DCKR	SN74AHCT1G125DCKR
74AHCT1G02DCKRE4	74AHCT1G125DCKTE4	SN74AHCT1G02DCKR	SN74AHCT1G125DCKT
74AHCT1G02DCKRG4	74AHCT1G125DCKTG4	SN74AHCT1G04DCK3	SN74AHCT1G126DCKR
74AHCT1G04DCKRE4	74AHCT1G126DCKRG4	SN74AHCT1G04DCKR	SN74AHCT1G14DCK3
74AHCT1G04DCKRG4	74AHCT1G126DCKTG4	SN74AHCT1G04DCKT	SN74AHCT1G14DCKR
74AHCT1G04DCKTG4	74AHCT1G14DCKTE4	SN74AHCT1G08DCK3	SN74AHCT1G14DCKRG4
74AHCT1G08DCKRE4	74AHCT1G14DCKTG4	SN74AHCT1G08DCKR	SN74AHCT1G86DCKR

For questions regarding this notice, e-mails can be sent to the Change Management team or your local Field Sales Representative.

IMPORTANT NOTICE AND DISCLAIMER

TI PROVIDES TECHNICAL AND RELIABILITY DATA (INCLUDING DATASHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES "AS IS" AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for skilled developers designing with TI products. You are solely responsible for (1) selecting the appropriate TI products for your application, (2) designing, validating and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, or other requirements. These resources are subject to change without notice. TI grants you permission to use

these resources only for development of an application that uses the TI products described in the resource. Other reproduction and display of these resources is prohibited. No license is granted to any other TI intellectual property right or to any third party intellectual property right. TI disdains responsibility for, and you will fully indemnify TI and its representatives against, any claims, damages, costs, losses, and liabilities arising out of your use of these resources.

TI's products are provided subject to TI's Terms of Sale (www.ti.com/legal/termsofsale.html) or other applicable terms available either on ti.com or provided in conjunction with such TI products. TI's provision of these resources does not expand or otherwise alter TI's applicable warranties or warranty disclaimers for TI products.