

Part Number: 395156002

**Product Description :** 3.81mm Pitch Eurostyle Vertical PCB Header, with Threaded Retention

Inserts, Green Housing, 2 Circuits

Status: Active

Series Number: 39515

**Product Category:** Terminal Blocks and

**Barrier Strip** 

#### **Documents & Resources**

#### **Drawings**

Drawing 395156002\_sd.pdf

**3D Models and Design Files**3D Model 395156002\_stp.zip

#### Specifications

Product Specification PS-39500-001-001.pdf

### **Product Environment Compliance**

#### Compliance

GADSL/IMDS	Not Relevant
China RoHS	Not Relevant
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Contains Lead per D(2022)9120-DC (17 Jan 2023)
EU RoHS	Compliant with Exemption 6(c) per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

#### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474

## **Part Details**

### General

Status	Active
Category	Terminal Blocks and Barrier Strip
Series	39515
Description	3.81mm Pitch Eurostyle Vertical PCB Header, with Threaded Retention Inserts, Green Housing, 2 Circuits
Application	N/A
Component Type	PCB Header
Product Family	Eurostyle Terminal Blocks
Product Name	Eurostyle Pluggable
Туре	Euro Block
UPC	822350438643

# Agency

UI	E48521
OL	L <del>-1</del> 0321

### Electrical

Current - Maximum per Contact	8.0A
Voltage - Maximum	300V

# Physical

Circuits (Loaded)	2
Entry Angle	N/A
Lock to Mating Part	Yes
Number of Rows	1
Orientation	Vertical
Panel Mount	No
PC Tail Length	3.50mm
PCB Thickness - Recommended	2.50mm
Pitch - Mating Interface	3.81mm

Pitch - Termination Interface	3.81mm
Polarized to Mating Part	Yes
Shrouded	Fully
Stackable	No
Temperature Range - Operating	-40° to +105°C
Wire Size (AWG)	N/A

## Mates With / Use With

## Mates with Part(s)

Description	Part Number
3.81mm Pitch Eurostyle Horizontal Plugs	<u>39514</u>
3.81mm Pitch Eurostyle Vertical Plugs	<u>39517</u>
Mates With	Most 3.81mm Pitch Industry Standard Plugs

This document was generated on Apr 15, 2024