

Part Number : 395326005

Series Number : 39532 Product Category : Terminal Blocks and Barrier Strip

#### **Documents & Resources**

Drawings Drawing 395326005\_sd.pdf

**3D Models and Design Files** 3D Model <u>395326005\_stp.zip</u>

#### **Specifications** Product Specification PS-39500-001-001.pdf

#### **Product Environment Compliance**

#### Compliance

GADSL/IMDS	Not Relevant
China RoHS	®
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2022)9120-DC (17 Jan 2023)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS

- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Product Description : 5.08mm Pitch Eurostyle Horizontal PCB Header, Green Housing, 5 Circuits Status : Active

# Part Details

### General

Status	Active
Category	Terminal Blocks and Barrier Strip
Series	39532
Description	5.08mm Pitch Eurostyle Horizontal PCB Header, Green Housing, 5 Circuits
Application	N/A
Component Type	PCB Header
Product Family	Eurostyle Terminal Blocks
Product Name	Eurostyle Pluggable
Туре	Euro Block
UPC	822350516303

# Agency

|--|

## Electrical

Current - Maximum per Contact	15.0A
Voltage - Maximum	300V

# Physical

Circuits (Loaded)	5
Entry Angle	N/A
Lock to Mating Part	Yes
Net Weight	2.320/g
Number of Rows	1
Orientation	Horizontal
Panel Mount	No
PC Tail Length	5.08mm
PCB Thickness - Recommended	3.20mm
Pitch - Mating Interface	5.08mm

Pitch - Termination Interface	5.08mm
Polarized to Mating Part	Yes
Shrouded	Closed Ends
Stackable	No
Temperature Range - Operating	-40° to +105°C
Wire Size (AWG)	N/A

### Solder Process Data

Lead-Free Process Capability	N/A
------------------------------	-----

## Mates With / Use With

# Mates with Part(s)

Description	Part Number
5.08mm Pitch Eurostyle Horizontal Plugs	<u>39530</u>
5.08mm Pitch Eurostyle Vertical Plugs	<u>39533</u>
Mates With	Most 5.08mm Pitch Industry Standard Plugs

This document was generated on Apr 13, 2024