

Part Number: 395326008

Product Description: 5.08mm Pitch Eurostyle Horizontal PCB Header, Green Housing, 8

Circuits

Status: Active

Series Number: 39532

Product Category: Terminal Blocks and

Barrier Strip

Documents & Resources

Drawings

Drawing 395326008_sd.pdf

3D Models and Design Files

3D Model 395326008_stp.zip

Specifications

Product Specification PS-39500-001-001.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	Not Reviewed per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Not Reviewed per IEC 61249-2-21
REACH SVHC	Not Reviewed per D(2023)8585-DC (23 Jan 2024)
EU RoHS	Not Reviewed per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Part Details

General

Status	Active
Category	Terminal Blocks and Barrier Strip
Series	39532
Description	5.08mm Pitch Eurostyle Horizontal PCB Header, Green Housing, 8 Circuits
Application	N/A
Component Type	PCB Header
Product Family	Eurostyle Terminal Blocks
Product Name	Eurostyle Pluggable
Туре	Euro Block
UPC	822350516433

Agency

1.11	F40F34
UL	E48521

Electrical

Current - Maximum per Contact	15.0A
Voltage - Maximum	300V

Physical

Circuits (Loaded)	8
Entry Angle	N/A
Lock to Mating Part	Yes
Net Weight	3.680/g
Number of Rows	1
Orientation	Horizontal
Panel Mount	No
PC Tail Length	5.08mm
PCB Thickness - Recommended	3.20mm
Pitch - Mating Interface	5.08mm

Pitch - Termination Interface	5.08mm
Polarized to Mating Part	Yes
Shrouded	Closed Ends
Stackable	No
Temperature Range - Operating	-40° to +105°C
Wire Size (AWG)	N/A

Solder Process Data

Lead-Free Process Capability	N/A
------------------------------	-----

Mates With / Use With

Mates with Part(s)

Description	Part Number
5.08mm Pitch Eurostyle Horizontal Plugs	<u>39530</u>
5.08mm Pitch Eurostyle Vertical Plugs	<u>39533</u>
Mates With	Most 5.08mm Pitch Industry Standard Plugs

This document was generated on Apr 09, 2024