



Connectors > Terminal Blocks & Strips > PCB Terminal Blocks



Terminal Block Connector Type: **Header**

Connector System: **Wire-to-Board**

Number of Positions: **8**

Centerline (Pitch): **5 mm [.197 in]**

Number of Rows: **1**

Features

Product Type Features

Header Type	Fully Shrouded
Terminal Block Connector Type	Header
Connector System	Wire-to-Board
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

Stacking Configuration	Side Stackable
Number of Positions	8
Number of Rows	1

Electrical Characteristics

Operating Voltage	300 VAC
-------------------	---------

Body Features

Primary Product Color	Green
Product Orientation	Right Angle



Contact Features

Contact Mating Area Plating Material	Tin
Contact Base Material	Copper Alloy
Contact Current Rating (Max)	15 A

Termination Features

Termination Post & Tail Length	3.5 mm[.138 in]
Termination Method to Printed Circuit Board	Through Hole - Solder

Mechanical Attachment

Connector Mounting Type	Board Mount
-------------------------	-------------

Housing Features

Housing Material	PA 66
Centerline (Pitch)	5 mm[.197 in]

Dimensions

Wire Size	.05 – 3 mm²
-----------	-------------

Usage Conditions

Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

Identification Marking

Marking Color	White
---------------	-------

Packaging Features

Packaging Quantity	100
Packaging Method	Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240)



Does not contain REACH SVHC







Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	---

Solder Process Capability	Wave solder capable to 240°C
---------------------------	------------------------------

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 796640-8 8 POS 5.0 MM R/A PLUG, TRM BLK	 TE Part # 284040-8 TERMI-BLOK VERTICAL PLUG STACK	 TE Part # 284046-8 TERMI-BLOK VERTICAL PLUG STACK	 TE Part # 796641-8 8 POS 5.0 MM R/A PLUG, TRM BLK
 TE Part # 1546118-8 8 POS. 5MM VERT. PLUG LH BLCK	 TE Part # 1546209-8 TERMI-BLOK HEADER ASSY 90 8P.	 TE Part # 1546557-8 8P, SCREWLESS CLIP PLUG, 5.0MM	 TE Part # 1776148-8 8P TERMI-BLOK HDR, HIGH TEMP

Customers Also Bought



TE Part #1-1721150-5
ORWH-SH-124D1F,000

TE Part #2-644861-6
06P MTA100 SHRD HDR,W/O PEG SN

TE Part #61316-1
FF 250 TAB 22-18AWG TPBR

TE Part #826629-2
2P AMPMODU II

TE Part #1-406541-5
MJ,INV,1X1,0PNL G,.100"ST,SN

TE Part #5650859-5
ASSEMBLY,RECEPTACLE,EUROCARD,T

TE Part #796644-5
5POS 5.0MM CE R/A HDR,TRM BLK

TE Part #5-6447163-2
FSN-21A-16

TE Part #1571627-1
FSM103A=TACT SWITCH,260G

TE Part #1-1437685-3
2TK2-48=SNAP TRACK PVC CHANNEL

Documents

Product Drawings

8POS 5.0MM CE R/A HDR,TRM BLK

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_796644-8_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_796644-8_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_796644-8_C.3d_stp.zip

English

Customer View Model

ENG_CVM_796644-8_C1.3d_igs.zip

English



Customer View Model

[ENG_CVM_796644-8_C1.2d_dxf.zip](#)

English

3D PDF

English

Customer View Model

[ENG_CVM_796644-8_C1.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[Eurostyle Terminal Blocks Focus Product Stock List](#)

English

[BUCHANAN TERMINAL BLOCKS CATALOG - EUROSTYLE TERMINAL BLOCKS](#)

English

[BUCHANAN PCB TERMINAL BLOCKS](#)

English

[1-1773458-1_EURO_STYLE_TERMINAL_BLOCKS_QRG](#)

English

Product Specifications

[Application Specification](#)

English

Agency Approvals

[UL](#)

English