

# HC-B-G-M25-PLRBK - Cable gland



1407670

<https://www.phoenixcontact.com/us/products/1407670>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



EVO plastic cable gland with bayonet locking, for housing series B, size M25, cable diameter: 9 mm ... 17 mm

## Commercial data

Item number	1407670
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BF57
Product key	BF7APL
Catalog page	Page 604 (C-2-2019)
GTIN	4046356776387
Weight per piece (including packing)	40.1 g
Weight per piece (excluding packing)	38 g
Customs tariff number	39269097
Country of origin	PL

# HC-B-G-M25-PLRBK - Cable gland

1407670

<https://www.phoenixcontact.com/us/products/1407670>




## Technical data

### Product properties

Product type	Cable gland with bayonet locking
No. of conductors	1
Type of the screw connection	M25
Shielded	no

### Dimensions

Dimensional drawing	
Width	48.7 mm
Height	64 mm
Depth	65.7 mm
Wrench size, union nut	26 mm

### Material specifications

Color	black (RAL 9005)
Material Pressure screw	PA
Flammability rating according to UL 94	V0 / V2
Seal material O-ring	NBR
Seal material Cable seal	NBR
Material for screw connection	PA

### Cable/line

External cable diameter Cable 1	9 mm ... 17 mm
---------------------------------	----------------

### Mechanical properties

#### Mechanical data

Type of the screw connection	M25
------------------------------	-----

### Environmental and real-life conditions

#### Ambient conditions

Degree of protection	IP66
Enclosure rating (NEMA)	12 (UL 50e)
Ambient temperature (operation)	-40 °C ... 100 °C

### Mounting

Assembly instructions	Bayonet locking max. 3x can be removed
-----------------------	--

# HC-B-G-M25-PLRBK - Cable gland


1407670

<https://www.phoenixcontact.com/us/products/1407670>



## Drawings

Dimensional drawing



Dimensional drawing

# HC-B-G-M25-PLRBK - Cable gland




1407670


<https://www.phoenixcontact.com/us/products/1407670>

## Approvals


To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/1407670>




**DNV**  
Approval ID: TAE000037S




**cUL Recognized**  
Approval ID: E255026



**UL Recognized**  
Approval ID: E255026



**EAC**  
Approval ID: RU C-DE.AI30.B.01102



**EAC-RoHS**  
Approval ID: RU D-DE.HB35.B.00387

**cULus Recognized**

# HC-B-G-M25-PLRBK - Cable gland



1407670

<https://www.phoenixcontact.com/us/products/1407670>

## Classifications

### ECLASS

ECLASS-11.0	27144432
ECLASS-12.0	27140801
ECLASS-13.0	27140801

### ETIM

ETIM 9.0	EC000441
----------	----------

### UNSPSC

UNSPSC 21.0	39121300
-------------	----------

# HC-B-G-M25-PLRBK - Cable gland



1407670

<https://www.phoenixcontact.com/us/products/1407670>

## Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

# HC-B-G-M25-PLRBK - Cable gland

1407670

<https://www.phoenixcontact.com/us/products/1407670>



## Accessories

### WP-GR HF CTA M25 BK - Corrugated tube screw connection

3241221

<https://www.phoenixcontact.com/us/products/3241221>



Corrugated pipe adapter, with internal thread, for connecting corrugated pipes to HEAVYCON EVO M25 plastic cable glands or ADVANCE M25 plastic housings, straight, black, IP66.

---

### SEALING PLUG 14X22 RD - Closing cap

1400270

<https://www.phoenixcontact.com/us/products/1400270>



Closing cap, for threads pluggable, color: red

---

Phoenix Contact 2024 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)