

https://www.phoenixcontact.com/us/products/1414249



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Plastic thread adapter with bayonet lock, for EVO housing series B, Pg21 thread

Commercial data

Item number	1414249
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BF57
Product key	BF7APL
Catalog page	Page 659 (C-2-2019)
GTIN	4055626022123
Weight per piece (including packing)	22.5 g
Weight per piece (excluding packing)	21.8 g
Customs tariff number	85389099
Country of origin	PL



https://www.phoenixcontact.com/us/products/1414249



Technical data

Product properties

Product type	Thread adapter
Application	Bayonet B - Pg
Type of the screw connection	Pg21

Connection data

Tightening torque 8 Nm	

Dimensions

Dimensional drawing	O31.7 PG21 -
Thread type on seal side	Pg21
Internal dimensions	
Length of internal thread	11 mm

Material specifications

Flammability rating according to UL 94	V0
Seal material O-ring	NBR
Housing material	PA

Mechanical properties

Mechanical data

Type of the screw connection	Pg21
------------------------------	------

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP66
Ambient temperature (operation)	-40 °C 100 °C

Mounting

Assembly instructions	Bayonet locking max. 3x can be removed
	The plastic thread adapter does not establish an electrical connection between the cable gland and connector housing. For this reason, only plastic cable protection systems or plastic cable glands may be used.





https://www.phoenixcontact.com/us/products/1414249



Drawings

Dimensional drawing





Dimensional drawing



1414249

https://www.phoenixcontact.com/us/products/1414249

Approvals

🌣 To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/1414249

DNV

Approval ID: TAE000037S



cUL RecognizedApproval ID: E255026



UL RecognizedApproval ID: E255026



EAC

Approval ID: RU C-DE.Al30.B.01102

cULus Recognized



1414249

https://www.phoenixcontact.com/us/products/1414249

Classifications

UNSPSC 21.0

ECLASS

ECLASS-11.0	27144432
ECLASS-12.0	27140801
ECLASS-13.0	27140801
ETIM	
ETIM 9.0	EC000441
UNSPSC	

39121400



https://www.phoenixcontact.com/us/products/1414249



Environmental product compliance

EU R	oHS
------	-----

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%



https://www.phoenixcontact.com/us/products/1414249



Accessories

G-INS-PG21-M68N-PNES-BK - Cable gland

1424500

https://www.phoenixcontact.com/us/products/1424500



Cable gland, material for screw connection: PA, application: Standard, external cable diameter 13 mm ... 18 mm, shielding: no, connecting thread: Pg21, color: jet black RAL 9005

WP-G HF IP66 PG21 BK - Screw connection

3240892

https://www.phoenixcontact.com/us/products/3240892



Cable gland, Pg thread, IP66 protection, straight



https://www.phoenixcontact.com/us/products/1414249



WP-G HF IP69K PG21 BK - Screw connection

3240878

https://www.phoenixcontact.com/us/products/3240878



Cable gland, Pg thread, IP68/69k protection, straight

WP-GA HF IP66 PG21 BK - Screw connection

3240920

https://www.phoenixcontact.com/us/products/3240920

Cable gland, Pg thread, IP66 protection, angled





https://www.phoenixcontact.com/us/products/1414249



WP-GR HF IP66 PG21 BK - Screw connection

3240948

https://www.phoenixcontact.com/us/products/3240948



Cable gland, Pg thread, IP66 protection, with strain relief

WP-GR HF IP69K PG21 BK - Screw connection

3240934

https://www.phoenixcontact.com/us/products/3240934



Cable gland, Pg thread, IP68/69k protection, with strain relief



https://www.phoenixcontact.com/us/products/1414249



WP-G PP HF PG21 - Screw connection

3240992

https://www.phoenixcontact.com/us/products/3240992



Cable gland made from PP with Pg thread, IP65 protection

WP-GT PP HF PG21 - Screw connection

3241006

https://www.phoenixcontact.com/us/products/3241006



Cable gland made from PP with Pg thread, rotatable, IP54 protection



https://www.phoenixcontact.com/us/products/1414249



WP-G BRASS IP40 PG21 - Screw connection

3241041

https://www.phoenixcontact.com/us/products/3241041



Cable gland made from brass with Pg thread, IP40 protection

WP-GT BRASS PG21 - Screw connection

3241027

https://www.phoenixcontact.com/us/products/3241027



Cable gland made from brass with Pg thread, rotatable, IP40 protection



https://www.phoenixcontact.com/us/products/1414249



WP-G BRASS IP65 PG21 - Screw connection

3241055

https://www.phoenixcontact.com/us/products/3241055



Cable gland made from brass with Pg thread, IP65 protection

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com