

MotorMan TE Internal #: 2120336-1 Protective Cover, Black, PA 66 GF25, MotorMan View on TE.com >



Connectors > Connector Accessories > Connector Caps & Covers



Connector Cover Type: Protective Cover

Primary Product Color: Black

Primary Product Material: PA 66 GF25

Operating Temperature (Max): 85 °C

Operating Temperature Range: -40 - 85 °C

#### Features

#### **Product Type Features**

Sealable	Yes				
Connector Cover Type	Protective Cover				
Body Features					
Primary Product Color	Black				
Primary Product Material	PA 66 GF25				
Housing Features					
Compatible With Connector Shape	Circular				
Dimensions					
Product Length	28.5 mm[1.12 in]				
Usage Conditions					
Operating Temperature (Max)	85 °C				
Operating Temperature Range	-40 - 85 °C				
Packaging Features					
Packaging Quantity	100				

### 2120336-1

Protective Cover, Black, PA 66 GF25, MotorMan



Packaging Method

#### Package/Box

#### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) SVHC > Threshold: 1,6,7,8,9,14,15,16,17,17,18,18- dodecachloropentacyclo [12.2.1.16,9.02,13.05,10]octadeca-7,15- diene (Dechlorane Plus) (14.17% in Component Part) Atice Safe Usage Statements Wash thoroughly after handling. Do not handle until all safety precautions have been read and understood. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.	
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.	
Solder Process Capability	Not applicable for solder process capability	

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**


#### 2120336-1

Protective Cover, Black, PA 66 GF25, MotorMan






# Also in the Series | MotorMan



Connector Strain Relief(2)	Rectangular Connector Hoods & Bases	Rectangular Contact Inserts(5)	Rectangular Power Connectors(2)
	(4)		

## Customers Also Bought



#### 2120336-1

Protective Cover, Black, PA 66 GF25, MotorMan



## Documents

Product Drawings PROTECTION COVER

English

#### CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_2120336-1\_D\_c-2120336-1-d.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_2120336-1\_D\_c-2120336-1-d.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_2120336-1\_D\_c-2120336-1-d.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions**of use.