
179970-6 - ACTIVE

Positive Lock | Positive Lock 250 TE Internal #: 179970-6 Crimp Terminal Housings, Receptacle, Receptacle, 1 Position, Straight, UL 94V-0, Blue, Nylon, Mating Alignment, Positive Lock 250 View on TE.com >



Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings



Terminal Type: Receptacle

Connector & Housing Type: Receptacle

Number of Positions: 1

Terminal Orientation: Straight

UL Flammability Rating: UL 94V-0

Features

Product Type Features

Sealable	No				
Connector System	Wire-to-Board, Wire-to-Wire				
Connector & Contact Terminates To	Wire & Cable				
Connector & Housing Type	Receptacle				
Configuration Features					
Number of Positions	1				
Body Features					
Primary Product Color	Blue				
Contact Features					
Terminal Type	Receptacle				
Terminal Orientation	Straight				
Contact Mating Retention	Without				
Mechanical Attachment					
Mating Alignment Type	Polarization				

Crimp Terminal Housings, Receptacle, Receptacle, 1 Position, Straight, UL 94V-0, Blue, Nylon, Mating Alignment, Positive Lock 250



Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	Nylon
Usage Conditions	
Operating Temperature Range	-40 - 105 °C[-40 - 221 °F]
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	400
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold

Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240)

Halogen Content

Solder Process Capability

Does not contain REACH SVHC

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Not applicable for solder process capability

Product Compliance Disclaimer

EU REACH Regulation (EC) No. 1907/2006

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

L For support call+1 800 522 6752

Crimp Terminal Housings, Receptacle, Receptacle, 1 Position, Straight, UL 94V-0, Blue, Nylon, Mating Alignment, Positive Lock 250





TE Part # 179975-1 250 PL EX REC. 15-10AWG PTBR



TE Part # 179973-1 250 PL EX REC. 22-18AWG PTBR




TE Part # 179974-1 250 PL EX REC. 18-14AWG PTBR




TE Part # 179973-6 PL EX 250 REC 22-18 PTPCOPPER-ALLOY



Also in the Series | Positive Lock 250



Automotive Terminals(1)	Crimp Terminal Housings(193)	Insertion & Extraction Tools(3)	Insulation Boots & Sleeves(4)



Customers Also Bought

Crimp Terminal Housings, Receptacle, Receptacle, 1 Position, Straight, UL 94V-0, Blue, Nylon, Mating Alignment, Positive Lock 250







TE Part #5-1123722-2 3.96 EP PLUG HSG 2P(BLACK) TE

TE Part #172132-1 FF 250 PLUG HSG 3P NYLON NAT

Documents

Product Drawings PL EXII 250 REC HSG 1P NYLON BLUE

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_179970-6_J.2d_dxf.zip

English

Customer View Model ENG_CVM_CVM_179970-6_J.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_179970-6_J.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

C For support call+1 800 522 6752

Crimp Terminal Housings, Receptacle, Receptacle, 1 Position, Straight, UL 94V-0, Blue, Nylon, Mating Alignment, Positive Lock 250



Product Specification

Japanese

250 Series, Positive Lock EX-II Connector

Japanese

Agency Approvals

CSA Certificate

English

CSA Certificate

English