
MTi-1

- Miniature form factor (12x12 mm)
- Easy integration
- Development Kit available

The MTi-1 is a self-contained Inertial Measurement Unit (IMU) as a 12.1 x 12.1 mm module. The Xsens optimized strapdown algorithm (AttitudeEngine[™]) performs high-speed dead-reckoning calculations at 1 kHz allowing accurate capture of high frequency motions. The MTi-1 IMU is a cost-effective module for a wide range of (embedded) applications. It relieves users from the design, integration and maintenance of gyroscopes, accelerometers and other sensors.

The MTi-1 is supported by the MT Software Suite which includes MT Manager (GUI for Windows/Linux), SDK, example codes and drivers for many platforms including ROS.



· 3D models available on request

This document is informational and not binding. Complete and detailed specifications are available at mtidocs.movella.com

IMU Pe	erformance
--------	------------

Accelerometer Calibrated Gyroscope Calibrated Strapdown Integration (SDI) Yes

Gyroscope

Standard full range 2000 deg/s In-run bias stability 6 deg/h Bandwidth (-3dB) 230 Hz 0.003 °/s/√Hz Noise Density

Accelerometer

Standard full range 16 g In-run bias stability 40 µg Bandwidth (-3dB) 230 Hz Noise Density 70 μg/√Hz

Magnetometer

Standard full range +/- 8 G Total RMS noise 0.5 mG Non-linearity 0.2% Resolution 0.25 mG

Mechanical

IP00 IP-rating -40 to 85 °C Operating Temperature Casing material PCB Mounting orientation No restriction, full 360° in all axes 12.1 x 12.1 x 2.55 mm Dimensions Connector SMD, footprint compatible with JEDEC PLCC-28 Weight 0.6 a Certifications CE, FCC, RoHS **Electrical**

Input voltage 2.8 to 3.6V Power consumption (typ) <100 mW @ 3V

Interfaces / IO

UART, SPI, I2C Interfaces Sync Options Yes Protocols Xbus Clock drift 10 ppm **Output Frequency** Up to 1 kHz Built-in-self test Gyr, Acc, Mag

Software Suite

GUI (Windows/Linux) MT Manager, Firmware updater, Magnetic Field Mapper SDK (Example code) C++, C#, Python, Matlab, Nucleo, public source code Drivers LabVIEW, ROS, GO Support Online manuals, community and knowledge base



