

Data sheet

15473.2 WE-10DI



Webeasy I/O digital input module, 10 digital inputs 24VAC/DC with LED display, Mounting type: Mounting rail TS 35, Supply voltage range: 20 V - 28 VAC/DC

Business data

Article number	<u>15473.2</u>
Article name	WE-10DI
GTIN (EAN)	4044211124175
Packaging unit	1
Quantity unit	PC
Weight per piece (not including packaging)	121 g
Weight per piece (including packaging)	161 g
Unit of weight	G
Customs number	85423190
Country of origin	NL
Product description	Controller module

Technical data

BUS data

Bus-Topologie / Kabellänge max.	multidrop line / 500m
Datenübertragungsrate / Bus-Teilnehmer max.	19k2 bps / 64
Bus protocol / interface	Modbus RTU / RS485, halb duplex, nicht isoliert

Dimensions

Length	95 mm
Width	53 mm
Height	60 mm

Connection data

Connection principle	Screw connection
Wire cross-section single core (rigid), min.	0.2 mm ²
Wire cross-section single-core (rigid), max.	4 mm ²
Wire cross-section stranded, min.	0.2 mm ²
Wire cross-section stranded, max.	4 mm ²
Wire cross-section stranded with wire-end ferrules, min.	0.2 mm ²
Wire cross-section stranded with wire-end ferrules, max.	2.5 mm ²
Stripping length	6 mm
Torque	0.4 Nm











Environmental Product Compliance


REACH Conform	yes
REACH Reference date	2023-06-14
REACH Candidate Substance Note	No
RoHS Conform	yes

Data sheet

15473.2 WE-10DI

Media

1	2	3	4	5	+	+	+	+	
 Gn Rd	 Gn Rd	 Gn Rd	 Gn Rd	 Gn Rd					
INTERNAL BUS A1	WE-10DI							INTERNAL BUS A1	—
A2								INTERNAL BUS A2	—
A								INTERNAL BUS A	—
B								INTERNAL BUS B	—
 Gn Rd	 Gn Rd	 Gn Rd	 Gn Rd	 Gn Rd					
6	7	8	9	10	—	—	—	—	



Accessories
