

**LINEAR TECHNOLOGY MATERIALS DECLARATION**

1t1397cde#trpbf

(Engineering Calculation)

DFN 4mm X 3mm Exp. Pad

(printed on: 2020-07-11 17:07:18)

**TOTAL MASS (g) : 0.030292**

COMPONENT MATERIAL	VENDOR/ INDUSTRY NAMES	CONSTITUENT NAME	CAS NUMBER	CONSTITUENT MASS (g)	CONSTITUENT (PPM) OF MATERIAL	CONSTITUENT (PPM) OF TOTAL PKG.		
Active Device	Linear Technology	Silicon (Si)	7440-21-3	0.000733	1000000	24197.9941406		
Die Coat	Dow Corning	Silicone	69430-27-9	0.000000	0	0		
Lead Frame	Cu	Copper (Cu)	7440-50-8	0.013133	975000	433550.125		
		Iron (Fe)	7439-89-6	0.000323	24000	10662.9628906		
		Phosphorus (P)	7723-14-0	0.000004	300	132.049087524		
		Zinc (Zn)	7440-66-6	0.000009	700	297.110443115		
		Nickel (Ni)	7440-02-0	0.000000	0	0		
		Silicon (Si)	7440-21-3	0.000000	0	0		
		Magnesium (Mg)	7439-95-4	0.000000	0	0		
		Tin (Sn)	7440-31-5	0.000000	0	0		
<b>Lead Frame Total:</b>				<b>0.013469</b>	<b>1000000</b>	<b>444642.28125</b>		
Plating	PMI	Exter. Plating Pb	7439-92-1	0.000000	0	0		
		Exter. Plating Sn	7440-31-5	0.000626	1000000	20658.046875		
		<b>External Plating Total:</b>				<b>0.000626</b>	<b>1000000</b>	<b>20658.046875</b>
		Inter. Plating Ni	7440-02-0	0.000000	0	0		
		Inter. Plating Ag	7440-22-4	0.000302	1000000	9969.70605469		
		<b>Internal Plating Total:</b>				<b>0.000302</b>	<b>1000000</b>	<b>9969.70605469</b>
Die Attach	ELECTRICALLY CONDUCTIVE ADHESIVE	Silver (Ag)	7440-22-4	0.000507	750000	16737.2207031		
		Tin (Sn)	7440-31-5	0.000000	0	0		
		Lead (Pb)	7439-92-1	0.000000	0	0		
		Silica (SiO2)	60676-86-0	0.000000	0	0		
		Indium (In)	7440-74-6	0.000000	0	0		
		Metal Oxide		0.000000	0	0		
		Antimony (Sb)	7440-36-0	0.000000	0	0		
		Resin (EP)		0.000169	250000	5579.07373047		
<b>Die Attach Total:</b>				<b>0.000676</b>	<b>1000000</b>	<b>22316.2949219</b>		
Encapsulation	MULTI-AROMATIC RESIN Br/Sb FREE	Resin (EP)		0.001876	130000	61931.0195312		
		Bromine (Br)	40039-93-8	0.000000	0	0		
		Silica (SiO2)	60676-86-0	0.012410	860000	409682.28125		
		Antimony Trioxide (Sb2O3)	1309-64-4	0.000000	0	0		
		Metal Hydroxide		0.000000	0	0		
		Carbon Black (C)	1333-86-4	0.000144	10000	4753.76708984		
		<b>Encapsulation Total:</b>				<b>0.014430</b>	<b>1000000</b>	<b>476367.0625</b>
Bond Wire Estimated	AFW/TANAKA/ Kn	Gold (Au)	7440-57-5	0.000056	1000000	1848.68701172		
					<b>TOTAL MASS (g) :</b>	<b>0.030292</b>		