



12500 TI Boulevard, MS 8640, Dallas, Texas 75243

**PCN# 20210816001.1**  
**Qualification of TI Malaysia as a New**  
**Assembly site for select devices**  
**Change Notification / Sample Request**

**Date:** August 19, 2021

**To:** Digi-Key PCN

Dear Customer:

This is an announcement of a change to a device that is currently offered by Texas Instruments. The details of this change are on the following pages.

Texas Instruments requires acknowledgement of receipt of this notification within **30** days of the date of this notice. Lack of acknowledgement of this notice within 30 days constitutes acceptance of the change. If samples or additional data are required, requests must be received within **30 days** of this notification.

The changes discussed within this PCN will not take effect any earlier than the proposed first ship date on Page 3 of this notification, unless customer agreement has been reached on an earlier implementation of the change.

This notice does not change the end-of-life status of any product. Should product affected be on a previously issued product withdrawal/discontinuance notice, this notification does not extend the life of that product or change the life time buy offering/discontinuance plan.

For questions regarding this notice or to provide acknowledgement of this PCN, you may contact your local Field Sales Representative or the PCN Team ([PCN\\_ww\\_admin\\_team@list.ti.com](mailto:PCN_ww_admin_team@list.ti.com)). For sample requests or sample related questions, contact your local Field Sales Representative.

Sincerely,

PCN Team  
SC Business Services

**20210816001.1**  
**Attachment: 1**

**Products Affected:**

The devices listed on this page are a subset of the complete list of affected devices. According to our records, these are the devices that you have purchased within the past twenty-four (24) months. The corresponding customer part number is also listed, if available.

<b>DEVICE</b>	<b>CUSTOMER PART NUMBER</b>
ADC0831CCN/NOPB	null
ADC0832CCN/NOPB	null
ADC0834CCN/NOPB	null
DS14C89AN/NOPB	null
LF347BN/NOPB	null
LF347N/NOPB	null
LF353N/NOPB	null
LF356N/NOPB	null
LF398AN/NOPB	null
LF398N/NOPB	null
LF412ACN/NOPB	null
LF412CN/NOPB	null
LF444ACN/NOPB	null
LF444CN/NOPB	null
LM10CLN/NOPB	null
LM10CN/NOPB	null
LM1458N/NOPB	null
LM1949N/NOPB	null
LM231AN/NOPB	null
LM231N/NOPB	null
LM2574HVN-12/NOPB	null
LM2574HVN-15/NOPB	null
LM2574HVN-5.0/NOPB	null
LM2574HVN-ADJ/NOPB	null
LM2574N-12/NOPB	null
LM2574N-3.3/NOPB	null
LM2574N-5.0/NOPB	null
LM2574N-ADJ/NOPB	null
LM2578AN/NOPB	null
LM2594HVN-12/NOPB	null
LM2594HVN-3.3/NOPB	null
LM2594HVN-5.0/NOPB	null
LM2594HVN-ADJ/NOPB	null
LM2594N-12/NOPB	null
LM2594N-3.3/NOPB	null
LM2594N-5.0/NOPB	null
LM2594N-ADJ/NOPB	null
LM2597HVN-ADJ/NOPB	null
LM2597N-3.3/NOPB	null
LM2597N-5.0/NOPB	null
LM2671N-12/NOPB	null
LM2671N-5.0/NOPB	null
LM2671N-ADJ/NOPB	null
LM2672N-12/NOPB	null
LM2672N-3.3/NOPB	null
LM2672N-5.0/NOPB	null
LM2672N-ADJ/NOPB	null
LM2674N-3.3/NOPB	null
LM2674N-5.0/NOPB	null
LM2674N-ADJ/NOPB	null
LM2675N-12/NOPB	null
LM2675N-5.0/NOPB	null
LM2675N-ADJ/NOPB	null
LM2901N/NOPB	null
LM2903N/NOPB	null
LM2904N/NOPB	null
LM2907N-8/NOPB	null
LM2917N-8/NOPB	null
LM311N/NOPB	null
LM318N/NOPB	null

LM319N/NOPB	null
LM324AN/NOPB	null
LM331AN/NOPB	null
LM331N/NOPB	null
LM339N/NOPB	null
LM3578AN/NOPB	null
LM358AN/NOPB	null
LM358N/NOPB	null
LM380N-8/NOPB	null
LM386N-1/NOPB	null
LM386N-3/NOPB	null
LM386N-4/NOPB	null
LM392N/NOPB	null
LM393N/NOPB	null
LM4562NA/NOPB	null
LM5021NA-1/NOPB	null
LM555CN/NOPB	null
LM567CN/NOPB	null
LM6132BIN/NOPB	null
LM6134BIN/NOPB	null
LM6142BIN/NOPB	null
LM6144BIN/NOPB	null
LM6171BIN/NOPB	null
LM6172IN/NOPB	null
LM7171BIN/NOPB	null
LM741CN/NOPB	null
LM833N/NOPB	null
LMC555CN/NOPB	null
LMC6001AIN/NOPB	null
LMC6001BIN/NOPB	null
LMC6032IN/NOPB	null
LMC6041IN/NOPB	null
LMC6042AIN/NOPB	null
LMC6042IN/NOPB	null
LMC6044IN/NOPB	null
LMC6062IN/NOPB	null
LMC6081IN/NOPB	null
LMC6082AIN/NOPB	null
LMC6082IN/NOPB	null
LMC6442IN/NOPB	null
LMC6462AIN/NOPB	null
LMC6462BIN/NOPB	null
LMC6464BIN/NOPB	null
LMC6482AIN/NOPB	null
LMC6482IN/NOPB	null
LMC6484AIN/NOPB	null
LMC6484IN/NOPB	null
LMC660AIN/NOPB	null
LMC660CN/NOPB	null
LMC662AIN/NOPB	null
LMC662CN/NOPB	null
LMC7660IN/NOPB	null
LME49720NA/NOPB	null
LP2951ACN/NOPB	null
LP2951CN/NOPB	null
TL082CP/NOPB	null
LM2597N-ADJ/NOPB	null
LM2671N-3.3/NOPB	null
LM2675N-3.3/NOPB	null

Technical details of this Product Change follow on the next page(s).

<b>PCN Number:</b>	20210816001.1			<b>PCN Date:</b>	August 19, 2021
<b>Title:</b>	Qualification of TI Malaysia as a new Assembly site for select devices				
<b>Customer Contact:</b>	<a href="#">PCN Manager</a>	<b>Dept:</b>	Quality Services		
<b>Proposed 1<sup>st</sup> Ship Date:</b>	Nov 19, 2021	<b>Estimated Sample Availability:</b>	Date Provided at Sample request		
<b>Change Type:</b>					
<input checked="" type="checkbox"/>	Assembly Site	<input type="checkbox"/>	Design	<input type="checkbox"/>	Wafer Bump Site
<input type="checkbox"/>	Assembly Process	<input type="checkbox"/>	Data Sheet	<input type="checkbox"/>	Wafer Bump Material
<input checked="" type="checkbox"/>	Assembly Materials	<input type="checkbox"/>	Part number change	<input type="checkbox"/>	Wafer Bump Process
<input type="checkbox"/>	Mechanical Specification	<input type="checkbox"/>	Test Site	<input type="checkbox"/>	Wafer Fab Site
<input checked="" type="checkbox"/>	Packing/Shipping/Labeling	<input type="checkbox"/>	Test Process	<input type="checkbox"/>	Wafer Fab Materials
				<input type="checkbox"/>	Wafer Fab Process
<b>PCN Details</b>					
<b>Description of Change:</b>					

Texas Instruments Incorporated is announcing the qualification TIM (TI Malaysia) as a new Assembly Site for select devices listed in the "Product Affected" Section. Current assembly sites and Material differences are as follows.

Assembly Site	Assembly Site Origin	Assembly Country Code	Assembly Site City
Amkor Phil	AKR	PHL	Muntinlupa City
TI Melaka	CU6	MYS	Melaka
TI Malaysia	MLA	MYS	Kuala Lumpur



**Group 1 Material Differences:**



	Amkor Phil	TI Malaysia
Mount compound	101300929	4147858
Mold compound	101402556	4211880
Wire Type	Au	Cu
Lead Finish	Matte Sn	NiPdAu

**Group 2 Material Differences:**

	TI Melaka	TI Malaysia
Mount compound	210003	4147858
Mold compound	150044	4211880
Wire Type	Au	Cu
Lead Finish	Matte Sn	NiPdAu

**Package Marking Differences:**

	AMKOR /TI Melaka	TI Malaysia
<b>8 pin</b>	 <p>\NS/ = NATIONAL LOGO            YM = YEAR MONTH DATE CODE            LLLL = ASSY DATE CODE            E0 = ECAT VALUE</p>	 <p>\NS/ = NATIONAL LOGO            YM = YEAR MONTH DATE CODE            LLLL = ASSY DATE COD            S = ASSLY SITE CODE</p>

	AMKOR /TI Melaka	TI Malaysia
<b>14/16 pin</b>	 <p>\NS/ = NATIONAL LOGO            YM = YEAR MONTH DATE CODE            LLLL = ASSY DATE CODE            P = PRIMARY ASSY SITE CODE            G3 = ECAT VALUE</p>	 <p>\NS/ = NATIONAL LOGO            YM = YEAR MONTH DATE CODE            LLLL = ASSY DATE COD            S = ASSLY SITE CODE</p>

**Reason for Change:**

Continuity of supply.

**Anticipated impact on Form, Fit, Function, Quality or Reliability (positive / negative):**

None

**Impact on Environmental Ratings**

Checked boxes indicate the status of environmental ratings following implementation of this change. If below boxes are checked, there are no changes to the associated environmental ratings.

RoHS	REACH	Green Status	IEC 62474
<input checked="" type="checkbox"/> No Change	<input checked="" type="checkbox"/> No Change	<input checked="" type="checkbox"/> No Change	<input checked="" type="checkbox"/> No Change

**Changes to product identification resulting from this PCN:**

Assembly Site		
Amkor Phil	Assembly Site Origin (22L)	ASO: AKR
TI Melaka	Assembly Site Origin (22L)	ASO: CU6
TI Malaysia	Assembly Site Origin (22L)	ASO: <b>MLA</b>

Sample product shipping label (not actual product label)

**Group 1 Product Affected:**

ADC0831CCN/NOPB	LM2574N-ADJ/NOPB	LM318N/NOPB	LMC6042IN/NOPB
ADC0832CCN/NOPB	LM2578AN/NOPB	LM319N/NOPB	LMC6044IN/NOPB
ADC0834CCN/NOPB	LM2671N-5.0/NOPB	LM324AN/NOPB	LMC6462AIN/NOPB
DS14C89AN/NOPB	LM2671N-ADJ/NOPB	LM339N/NOPB	LMC6462BIN/NOPB
LF353N/NOPB	LM2672N-12/NOPB	LM3578AN/NOPB	LMC6464BIN/NOPB
LF398AN/NOPB	LM2672N-5.0/NOPB	LM358N/NOPB	LMC6482AIN/NOPB
LF398N/NOPB	LM2672N-ADJ/NOPB	LM386N-1/NOPB	LMC6484AIN/NOPB
LF412CN/NOPB	LM2674N-5.0/NOPB	LM386N-3/NOPB	LMC6484IN/NOPB
LM2574HVN-12/NOPB	LM2674N-ADJ/NOPB	LM386N-4/NOPB	LMC660AIN/NOPB
LM2574HVN-15/NOPB	LM2675N-12/NOPB	LM4562NA/NOPB	LMC660CN/NOPB
LM2574HVN-5.0/NOPB	LM2675N-5.0/NOPB	LM6134BIN/NOPB	LMC7660IN/NOPB
LM2574HVN-ADJ/NOPB	LM2675N-ADJ/NOPB	LM6144BIN/NOPB	LME49720NA/NOPB
LM2574N-12/NOPB	LM2901N/NOPB	LM833N/NOPB	
LM2574N-3.3/NOPB	LM2904N/NOPB	LMC6041IN/NOPB	
LM2574N-5.0/NOPB	LM311N/NOPB	LMC6042AIN/NOPB	

**Group 2 Product Affected:**

LF347BN/NOPB	LM2594N-5.0/NOPB	LM2907N-8/NOPB	LMC555CN/NOPB
LF347N/NOPB	LM2594N-ADJ/NOPB	LM2917N-8/NOPB	LMC6001AIN/NOPB
LF356N/NOPB	LM2597HVN-12/NOPB	LM331AN/NOPB	LMC6001BIN/NOPB
LF412ACN/NOPB	LM2597HVN-3.3/NOPB	LM331N/NOPB	LMC6032IN/NOPB
LF444ACN/NOPB	LM2597HVN-5.0/NOPB	LM358AN/NOPB	LMC6062IN/NOPB
LF444CN/NOPB	LM2597HVN-ADJ/NOPB	LM380N-8/NOPB	LMC6081IN/NOPB
LM10CLN/NOPB	LM2597N-12/NOPB	LM392N/NOPB	LMC6082AIN/NOPB
LM10CN/NOPB	LM2597N-3.3/NOPB	LM393N/NOPB	LMC6082IN/NOPB
LM1458N/NOPB	LM2597N-5.0/NOPB	LM5021NA-1/NOPB	LMC6442IN/NOPB
LM1949N/NOPB	LM2597N-ADJ/NOPB	LM555CN/NOPB	LMC6482IN/NOPB
LM231AN/NOPB	LM2671N-12/NOPB	LM567CN/NOPB	LMC662AIN/NOPB
LM231N/NOPB	LM2671N-3.3/NOPB	LM6132BIN/NOPB	LMC662CN/NOPB
LM2594HVN-12/NOPB	LM2672N-3.3/NOPB	LM6142BIN/NOPB	LP2951ACN/NOPB
LM2594HVN-3.3/NOPB	LM2674N-3.3/NOPB	LM6171BIN/NOPB	LP2951CN/NOPB
LM2594HVN-5.0/NOPB	LM2675N-3.3/NOPB	LM6172IN/NOPB	TL082CP/NOPB
LM2594HVN-ADJ/NOPB	LM2903N/NOPB	LM7171BIN/NOPB	
LM2594N-12/NOPB	LM2904N/S5000653	LM741CN/NOPB	
LM2594N-3.3/NOPB	LM2904N/SL161997	LM741CN/S7001461	

## Group 1 Qualification Report

Approve Date 05-Aug-2021

### Qualification Results

Data Displayed as: Number of lots / Total sample size / Total failed

Type	Test Name / Condition	Duration	Qual Device: <u>ADC0832CCN/NOPB</u> B	Qual Device: <u>LM6134BIN/NOPB</u> B	QBS Package Reference: <u>LM2594HVN</u> <u>-ADJ/NOPB</u>	QBS Package Reference: <u>SN74HC595</u> N	QBS Package Reference : <u>SN74LS03N</u>
AC	Autoclave 121C	96 Hours	3/231/0	3/231/0	3/231/0	3/225/0	3/231/0
ED	Electrical Characterization	Per Datasheet Parameters	Pass	Pass	Pass	Pass	-
HAST	Biased HAST, 130C/85%RH	96 Hours	-	-	3/231/0	-	-
HTSL	High Temp Storage Bake 170C	420 Hours	3/231/0	3/231/0	3/231/0	3/231/0	3/231/0
LI	Lead Fatigue	Leads	1/15/0	3/54/0	3/36/0	3/45/0	3/45/0
LI	Lead Pull	Leads	1/20/0	3/72/0	3/72/0	3/72/0	3/72/0
PD	Physical Dimensions	(per mechanical drawing)	3/15/0	3/15/0	3/15/0	-	-
PKG	Lead Finish Adhesion	Leads	-	-	-	3/45/0	3/45/0
SD	Solderability	Pb free	3/66/0	3/66/0	-	3/66/0	3/66/0
TC	Temperature Cycle, -65/150C	500 Cycles	3/231/0	3/231/0	3/231/0	3/231/0	3/231/0
VM	Visual / Mechanical	(per mfg. Site specification)	3/984/0	3/984/0	3/984/0	3/984/0	3/984/0

Type	Test Name / Condition	Duration	Qual Device: <u>ADC0832CCN/NOPB</u> B	Qual Device: <u>LM6134BIN/NOPB</u> B	QBS Package Reference: <u>LM2594HVN-ADJ/NOPB</u>	QBS Package Reference: <u>SN74HC595N</u>	QBS Package Reference: : <u>SN74LS03N</u>
WBP	Bond Pull	Wires	3/228/0	3/228/0	3/228/0	3/228/0	3/228/0
WBS	Ball Bond Shear	Wires	3/228/0	3/228/0	3/228/0	3/228/0	3/228/0

- QBS: Qual By Similarity

- Qual Devices ADC0832CCN/NOPB and LM6134BIN/NOPB are qualified at LEVEL1-NACG

- Device LM6134BIN/NOPB contains multiple dies.

- Preconditioning was performed for Autoclave, Unbiased HAST, THB/Biased HAST, Temperature Cycle, Thermal Shock, and HTSL, as applicable

- The following are equivalent HTOL options based on an activation energy of 0.7eV : 125C/1k Hours, 140C/480 Hours, 150C/300 Hours, and 155C/240 Hours

- The following are equivalent HTSL options based on an activation energy of 0.7eV : 150C/1k Hours, and 170C/420 Hours

- The following are equivalent Temp Cycle options per JESD47 : -55C/125C/700 Cycles and -65C/150C/500 Cycles

Quality and Environmental data is available at TI's external Web site: <http://www.ti.com/>

**Green/Pb-free Status:**

Qualified Pb-Free and Green

## Group 2 Qualification Report

Approve Date 05-Aug-2021

### Qualification Results

Data Displayed as: Number of lots / Total sample size / Total failed

Type	Test Name / Condition	Duration	Qual Device: <u>LF444ACN/NOPB</u> PB	Qual Device: <u>LM231AN/NOPB</u> PB	Qual Device: <u>LM2594HVN-ADJ/NOPB</u> N-ADJ/NOPB	Qual Device: <u>LMC6482IN/NOPB</u> PB	QBS Package Reference: <u>SN74HC595N</u>	QBS Package Reference: <u>SN74LS03N</u>
AC	Autoclave 121C	96 Hours	3/231/0	3/231/0	3/231/0	3/231/0	3/225/0	3/231/0
ED	Electrical Characterization	Per Datasheet Parameters	Pass	Pass	Pass	Pass	Pass	-
HAST	Biased HAST, 130C/85%RH	96 Hours	-	-	3/231/0	-	-	-
HTSL	High Temp Storage Bake 170C	420 Hours	3/231/0	3/231/0	3/231/0	3/231/0	3/231/0	3/231/0
LI	Lead Fatigue	Leads	3/27/0	3/54/0	3/36/0	3/54/0	3/45/0	3/45/0
LI	Lead Pull	Leads	3/72/0	3/72/0	3/72/0	3/72/0	3/72/0	3/72/0
PD	Physical Dimensions	(per mechanical drawing)	3/15/0	3/15/0	3/15/0	3/15/0	3/15/0	3/15/0
PKG	Lead Finish Adhesion	Leads	3/45/0	-	-	-	3/45/0	3/45/0
SD	Solderability	Pb Free	3/66/0	3/66/0	-	3/66/0	3/66/0	3/66/0
TC	Temperature Cycle, -65/150C	500 Cycles	3/231/0	3/231/0	3/231/0	3/231/0	3/231/0	3/231/0
VM	Visual / Mechanical	(per mfg. Site specification)	3/984/0	3/984/0	3/984/0	3/984/0	3/984/0	3/984/0
WBP	Bond Pull	Wires	3/228/0	3/228/0	3/228/0	3/228/0	3/228/0	3/228/0



Type	Test Name / Condition	Duration	Qual Device: <u>LF444ACN/NO</u> <u>PB</u>	Qual Device: <u>LM231AN/NO</u> <u>PB</u>	Qual Device: <u>LM2594HV</u> <u>N-</u> <u>ADJ/NOPB</u>	Qual Device: <u>LMC6482IN/NO</u> <u>PB</u>	QBS Package Reference: <u>SN74HC59</u> <u>5N</u>	QBS Package Reference: <u>SN74LS03</u> <u>N</u>
WBS	Ball Bond Shear	Wires	3/228/0	3/228/0	3/228/0	3/228/0	3/228/0	3/228/0

- QBS: Qual By Similarity

- Qual Devices LF444ACN/NOPB, LM231AN/NOPB, LM2594HV-N-ADJ/NOPB, LMC6482IN/NOPB is qualified at LEVEL1-NACG

- Preconditioning was performed for Autoclave, Unbiased HAST, THB/Biased HAST, Temperature Cycle, Thermal Shock, and HTSL, as applicable

- The following are equivalent HTOL options based on an activation energy of 0.7eV : 125C/1k Hours, 140C/480 Hours, 150C/300 Hours, and 155C/240 Hours

- The following are equivalent HTSL options based on an activation energy of 0.7eV : 150C/1k Hours, and 170C/420 Hours

- The following are equivalent Temp Cycle options per JESD47 : -55C/125C/700 Cycles and -65C/150C/500 Cycles

Quality and Environmental data is available at TI's external Web site: <http://www.ti.com/>

**Green/Pb-free Status:**

Qualified Pb-Free and Green

For questions regarding this notice, e-mails can be sent to the regional contacts shown below or your local Field Sales Representative.

Location	E-Mail
USA	<a href="mailto:PCNAmericasContact@list.ti.com">PCNAmericasContact@list.ti.com</a>
Europe	<a href="mailto:PCNEuropeContact@list.ti.com">PCNEuropeContact@list.ti.com</a>
Asia Pacific	<a href="mailto:PCNAsiaContact@list.ti.com">PCNAsiaContact@list.ti.com</a>
Japan	<a href="mailto:PCNJapanContact@list.ti.com">PCNJapanContact@list.ti.com</a>

**IMPORTANT NOTICE AND DISCLAIMER**

TI PROVIDES TECHNICAL AND RELIABILITY DATA (INCLUDING DATASHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES "AS IS" AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for skilled developers designing with TI products. You are solely responsible for (1) selecting the appropriate TI products for your application, (2) designing, validating and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, or other requirements. These resources are subject to change without notice. TI grants you permission to use these resources only for development of an application that uses the TI products described in the resource. Other reproduction and display of these resources is prohibited. No license is granted to any other TI intellectual property right or to any third party intellectual property right. TI disclaims responsibility for, and you will fully indemnify TI and its representatives against, any claims, damages, costs, losses, and liabilities arising out of your use of these resources.

TI's products are provided subject to TI's Terms of Sale ([www.ti.com/legal/termsofsale.html](http://www.ti.com/legal/termsofsale.html)) or other applicable terms available either on ti.com or provided in conjunction with such TI products. TI's provision of these resources does not expand or otherwise alter TI's applicable warranties or warranty disclaimers for TI products.