PRODUCT NEWS

Product Discontinuation Notices

Wiring Systems

OMRON

Issue Date January 27, 2022

No. ICE-L-2201001

Discontinuation notice of part of Connector-Terminal Block Conversion Units model XW2B series.

Product Discontinuation

Connector-Terminal Block Conversion Units

Model XW2B-60G5



Model XW2B-□□G4 Model XW2B-□□G5 Model XW2B-□□Y4 Model XW2B-20G5-D Model XW2B-40G5-T Recommended Replacement Connector-Terminal Block Conversion Units

Model XW2R-J60GD-T Model XW2R-E□□GD-T Model XW2D-□□G6 Model XW2D-□□Y6 No recommended replacement No recommended replacement

[Final order entry date] The end of March, 2023

[Date of The Last Shipping]

The end of June, 2023

[Caution on recommended replacement]

Refer to below

[Difference from discontinued product]

Recommended replacement Model	Body Color	Dimen- sions	Wire connection	Mounting Dimensions		Operation ratings	Operation methods
Please refer to the list		*	**	**	**	**	**

** : Compatible

: The change is a little/Almost compatible

- -- : Not compatible
- : No corresponding specification

[Product Discontinuation and recommended replacement]


Product discontinuation	Recommended replacement
XW2B-60G5	XW2R-J60GD-T
XW2B-60G4	XW2R-E60GD-T
XW2B-50Y4	XW2D-50Y6
XW2B-50G5	XW2D-50G6
XW2B-50G4	XW2R-E50GD-T
XW2B-40G5-T	No recommended replacement
XW2B-40G5	XW2D-40G6
XW2B-40G4	XW2R-E40GD-T
XW2B-34Y4	XW2D-34Y6
XW2B-34G5	XW2D-34G6
XW2B-34G4	XW2R-E34GD-T
XW2B-20Y4	XW2D-20Y6
XW2B-20G5-D	No recommended replacement
XW2B-20G5	XW2D-20G6
XW2B-20G4	XW2R-E20GD-T

OMRON




OMRON

[Dimensions]




Model XW2B-DDG4



Dimensions

Model	No. of poles	Dimension A (mm)	Applicable Connector models *
XW2B-20G4	20	67.5	XG4A-2031
XW2B-34G4	34	112.5	XG4A-3431
XW2B-40G4	40	135.0	XG4A-4031
XW2B-50G4	50	157.5	XG4A-5031
XW2B-60G4	60	180.0	XG4A-6031


Model XW2B-DDG5



Dimension

Model	No. of poles	Dimension A (mm)	Applicable Connector models *
XW2B-20G5	20	112.5	XG4A-2031
XW2B-34G5	34	180.0	XG4A-3431
XW2B-40G5	40	202.5	XG4A-4031
XW2B-50G5	50	247.5	XG4A-5031
XW2B-60G5	60	292.5	XG4A-6031


Model XW2B- UY4



Model	No. of poles	Dimension A (mm)	Applicable Connector models *
XW2B-20Y4	20	67.5	MR-20RMD2
XW2B-34Y4	34	112.5	MR-34RMD2
XW2B-50Y4	50	157.5	MR-50RMD2

Recommendable replacement

Model XW2R-J60GD-T





Model XW2R-EDDGD-T

Drawing is ML Plug: XG4A-CC31	(44.81)
CIEUROFI XW28-E406D-I S	
adadadada adadadada	
The label contents depend on the number of poles.	(43)

Mounted Connector model		Number of poles	Model *2
	XG4A-2031	20	XW2R-E20GD-T
	XG4A-3431	34	XW2R-E34GD-T
MIL Connector	XG4A-4031	40	XW2R-E40GD-T
	XG4A-5031	50	XW2R-E50GD-T
	XG4A-6031	60	XW2R-E60GD-T
FCN Connector	FCN-364P040-AU	40	XW2R-E40FD-T


Model XW2D-DDG6





Model	No. of poles	Dimension A (mm)	Dimension B (mm)
XW2D-20G6	20	79	57
XW2D-34G6	34	128	100
XW2D-40G6		149	110
XW2D-40G6-RF *1	40	149	110
XW2D-40G6-RM *2		149	110
XW2D-50G6	50	184	144

Model XW2D-DDY6



Note: There is only one DIN Track lock located in the center of the terminal block for a 20-pole U

Dimensions

Model	No. of poles	Dimension A (mm)	Dimension B (mm)
XW2D-20Y6	20	79	57
XW2D-34Y6	34	128	100
XW2D-50Y6	50	184	144

Specifications and prices in this product news are as of the issue date and are subject to change without notice. Only main changes in specifications are described in this document. Please be sure to read the relevant catalogs, datasheets, product specifications, instructions, and manuals for precautions and necessary information when using products.