TE Internal #: 2322343-2

Magnet Wire Terminals, Wire-to-Wire, 1601421, .45 - 1. mm

Aluminum Wire, Lead Wire Size 22 - 18 AWG, Lead Wire Size .3 - .8

mm², SIAMEZE IDC

View on TE.com >



Terminals & Splices > Magnet Wire Terminals











Magnet Wire Terminal Type: Wire-to-Wire

Compatible With Cavity Size: 1601421

Compatible Insulation Diameter (Max): 2.9 mm [ .114 in ]

Aluminum Wire Size: .45 - 1. mm Lead Wire Size: 22 - 18 AWG

# **Features**

### **Product Type Features**

Product Type Features	
Compatible With Discrete Wire Type	Magnet Wire & Lead Wire
Body Features	
Compatible With Cavity Size	1601421
Contact Features	
Magnet Wire Terminal Type	Wire-to-Wire
Terminal Plating Material	Tin
Termination Features	
Termination Method to Wire & Cable	SIAMEZE IDC
Mechanical Attachment	
Mating Retention Type	Barbs
Dimensions	
Terminal Height	7.62 mm[.3 in]
Compatible Insulation Diameter (Max)	2.9 mm[.114 in]

.45 - 1. mm

Aluminum Wire Size



Lead Wire Size	.38 mm <sup>2</sup>
Stock Thickness (Magnet Wire Side)	.51 mm[.02 in]
Product Length	7.62 mm[.31 in]
Usage Conditions	
Insulation Option	Uninsulated
Operating Temperature Range	-40 - 125 °C[-40 - 257 °F]
Operation/Application	

Compatible With Wire Base Material	Aluminum
Packaging Features	
Packaging Quantity	50000
Packaging Method	Reel

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach



# Compatible Parts



TE Part # 6-1601046-2 WIRE2WIRE,STD,SMZ



TE Part # 1601046-1 131-101-000=WIRE2WIRE,STD,SMZ



WIRE2BLADE, HIGH CARRIER, STD, SMZ





TE Part # 1601046-3 STANDARD WIRE TO WIRE SIAMEZE, HIGH TEMP,









TE Part # 2310498-2 SIAMEZE









# Customers Also Bought













## **Documents**

## **Product Drawings**

WIRE2WIRE, STD, SMZ FOR AL WIRE

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2322343-2\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2322343-2\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2322343-2\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions**of use.

**Product Specifications** 

**Application Specification** 

English