2348504-2 - ACTIVE

TE Internal #: 2348504-2 Magnet Wire Terminals, Tab / Dual Connection Terminal, Mating Tab Width .25 in [6.35 mm], 1601425, .45 - 1 mm Aluminum Wire, . 45 - 1 mm Magnet Wire

View on TE.com >

Terminals & Splices > Magnet Wire Terminals



Magnet Wire Terminal Type: Dual Connection Terminal, Tab

Mating Tab Width: 6.35 mm [.25 in]

Mating Tab Thickness: .81 mm [.032 in]

Compatible With Cavity Size: 1601425

Aluminum Wire Size: .45 - 1 mm

Features

Product Type Features



Compatible With Discrete Wire Type	Magnet Wire, Solid
Body Features	
Compatible With Cavity Size	1601425
Contact Features	
Magnet Wire Terminal Type	Dual Connection Terminal, Tab
Mating Tab Width	6.35 mm[.25 in]
Mating Tab Thickness	.81 mm[.032 in]
Terminal Plating Material	Tin
Contact Underplating Material	None
Terminal Orientation	Straight
Termination Features	
Termination Method to Wire & Cable	SIAMEZE IDC
Mechanical Attachment	
Mating Retention Type	Barbs

C For support call +1 800 522 6752

2348504-2

Magnet Wire Terminals, Tab / Dual Connection Terminal, Mating Tab Width .25 in [6.35 mm], 1601425, .45 - 1 mm Aluminum Wire, .45 - 1 mm Magnet Wire



Dimensions

Terminal Height	20.45 mm[.805 in]
Aluminum Wire Size	.45 - 1 mm
Magnet Wire Size	.45 - 1 mm
Stock Thickness (Magnet Wire Side)	.51 mm[.02 in]
Product Length	20.45 mm[.805 in]
Usage Conditions	
Insulation Option	Uninsulated
Operating Temperature Range	-40 - 125 °C[-40 - 257 °F]
Operation/Application	
Compatible With Wire Base Material	Aluminum
Packaging Features	
Packaging Method	Reel/Carton

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU

Compliant

EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on


2348504-2

Magnet Wire Terminals, Tab / Dual Connection Terminal, Mating Tab Width .25 in [6.35 mm], 1601425, .45 - 1 mm Aluminum Wire, .45 - 1 mm Magnet Wire



requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts



Customers Also Bought



Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2348504-2_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2348504-2_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2348504-2_A.3d_stp.zip

English

2348504-2

Magnet Wire Terminals, Tab / Dual Connection Terminal, Mating Tab Width .25 in [6.35 mm], 1601425, .45 - 1 mm Aluminum Wire, .45 - 1 mm Magnet Wire



By downloading the CAD file I accept and agree to the **Terms and Conditions**of use.

Product Specifications SIAMEZE Standard and Fine Range Terminals

English