



SIAMEZE


TE Internal #: 4-1601041-3

Magnet Wire Terminals, Solder Post, Mating Tab Width .02 in [1.02 mm], .16 - 1.02 mm Magnet Wire, 34 - 18 AWG Magnet Wire,

SIAMEZE

[View on TE.com >](#)

Terminals & Splices > Magnet Wire Terminals



Magnet Wire Terminal Type: **Solder Post**

Mating Tab Width: **1.02 mm [.02 in]**

Mating Tab Thickness: **.51 mm [.02 in]**

Magnet Wire Size: **.16 - 1.02 mm**

Features

Product Type Features

Compatible With Discrete Wire Type	Magnet Wire, Solid
------------------------------------	--------------------

Contact Features

Magnet Wire Terminal Type	Solder Post
Mating Tab Width	1.02 mm[.02 in]
Mating Tab Thickness	.51 mm[.02 in]
Terminal Plating Material	Tin
Contact Underplating Material	Nickel
Terminal Orientation	Straight

Termination Features

Termination Method to Wire & Cable	Insulation Displacement (IDC)
------------------------------------	-------------------------------

Mechanical Attachment

Mating Retention Type	Barbs
-----------------------	-------

Dimensions

Terminal Height	3.17 mm[.125 in]
-----------------	------------------



Magnet Wire Size	.16 - 1.02 mm
Stock Thickness (Magnet Wire Side)	.51 mm[.02 in]
Product Length	12.32 mm[.485 in]

Usage Conditions

Insulation Option	Uninsulated
-------------------	-------------

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Method	Bag
------------------	-----

Product Compliance

For compliance documentation, visit the product page on [TE.com](https://www.te.com)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 6-1601046-2
WIRE2WIRE,STD,SMZ

TE Part # 4-1601090-2
031-161-002=TAB,2.0X.51,STDSMZ

TE Part # 4-1601088-2
031-159-002=TAB,2.0X.51,STDSMZ

TE Part # 8-1601046-2
331-101-000=WIRE2WIRE,STD,SMZ

TE Part # 1601425
531-007-000=POCKET SPECIFICATION

Also in the Series | **SIAMEZE**

Insertion & Extraction Tools(1)

Magnet Wire Terminals(192)

Customers Also Bought

TE Part # 1658670-3
PIN CONTACT,22 DF,STRIP,22-28

TE Part # 350980-2
.045 POST CONTACT

TE Part # 42037-1
RING TERMINAL 22-18 AWG TPBR

TE Part # CH02024001
VERSAFLEX-1/4-0-SP

TE Part # 2063379-1
SDE UMNL 0.5-2.0mm2 ASSY

Was called: SDE PEW 12
Now renamed to: SDE SA (no other physical changes)

TE Part # AKA034N00090200000
623 EXTENSION, SPEEDTEC-READY

TE Part # 2289550-3
M8 M-F-SRT SH 3POS CABLE ASSEMBLY

TE Part # 63512-3
187 FASTON FLAG REC 18-14 AWG BR



Documents

Product Drawings

[PC TAB STANDARD SIAMEZE](#)

English

[PC TAB STANDARD SIAMEZE](#)

English

CAD Files

Customer View Model

[ENG_CVM_CVM_4-1601041-3_F.2d_dxf.zip](#)

English

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_4-1601041-3_F.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_4-1601041-3_F.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[Magnet Wire Terminals & Splices](#)

English

[1-1773702-7 _IDC_Magnet_Wire](#)

English

Product Specifications

[Application Specification](#)

English