

GKM 2 GY - Cable marker carrier



1750485

<https://www.phoenixcontact.com/us/products/1750485>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Cable marker carrier, gray, unlabeled, mounting type: clip on, cable diameter range: 4.8 ... 11 mm, lettering field size: 20 x 8 mm

Your advantages

- SS-ZB ..., UC-TM ... or ZB ... can be used for labeling purposes
- The conductor marker is attached directly to a conductor

Commercial data

Item number	1750485
Packing unit	100 pc
Minimum order quantity	100 pc
Sales key	BG12
Product key	BG231A
Catalog page	Page 243 (C-3-2019)
GTIN	4017918028282
Weight per piece (including packing)	2.66 g
Weight per piece (excluding packing)	2.46 g
Customs tariff number	39269097
Country of origin	DE

GKM 2 GY - Cable marker carrier

1750485

<https://www.phoenixcontact.com/us/products/1750485>



Technical data

Product properties

Product type	Marker carrier cable
Type	Mounting set

Dimensions

Width	9 mm
Length	20 mm

External dimensions

Outside diameter	4.8 mm ... 11 mm
External diameter min.	4.8 mm
External diameter max.	11 mm

Material specifications

Color	gray
Material	PA/ABS
Flammability rating according to UL 94	V2
Components	free from silicone and halogen

Cable/line

External cable diameter	4.8 mm ... 11 mm
-------------------------	------------------

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-40 °C ... 80 °C
Recommended ambient temperature (storage/transport)	23 °C
Recommended humidity (storage/transport)	50 %

Mounting

Mounting type	clip on
---------------	---------

GKM 2 GY - Cable marker carrier



1750485

<https://www.phoenixcontact.com/us/products/1750485>

Classifications

ECLASS

ECLASS-11.0	27281105
ECLASS-12.0	27281105
ECLASS-13.0	27281105

ETIM

ETIM 9.0	EC001530
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

GKM 2 GY - Cable marker carrier



1750485

<https://www.phoenixcontact.com/us/products/1750485>

Environmental product compliance

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

GKM 2 GY - Cable marker carrier



1750485

<https://www.phoenixcontact.com/us/products/1750485>

Accessories

UCT-EM (20X9) - Snap-in markers

0801471

<https://www.phoenixcontact.com/us/products/0801471>



Snap-in markers, Sheet, white, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 20 x 9 mm, Number of individual labels: 24

UCT-EM (20X9) YE - Snap-in markers

0801472

<https://www.phoenixcontact.com/us/products/0801472>



Snap-in markers, Sheet, yellow, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 20 x 9 mm, Number of individual labels: 24

GKM 2 GY - Cable marker carrier

1750485

<https://www.phoenixcontact.com/us/products/1750485>



UC-EM (20X9) - Snap-in markers

0825503

<https://www.phoenixcontact.com/us/products/0825503>




Snap-in markers, Sheet, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: snapped, lettering field size: 20 x 9 mm, Number of individual labels: 20

UC-EM (20X9) TQ - Snap-in markers

0825504

<https://www.phoenixcontact.com/us/products/0825504>



Snap-in markers, Sheet, turquoise, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: snapped, lettering field size: 20 x 9 mm, Number of individual labels: 20

GKM 2 GY - Cable marker carrier

1750485


<https://www.phoenixcontact.com/us/products/1750485>



UC-EM (20X9) YE - Snap-in markers

0827637

<https://www.phoenixcontact.com/us/products/0827637>



Snap-in markers, Sheet, yellow, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID COLOR, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: snapped, lettering field size: 20 x 9 mm, Number of individual labels: 20

SS-ZB WH - Contactor marker - zack marker strip

5031171

<https://www.phoenixcontact.com/us/products/5031171>



Contactor marker - zack marker strip, Strip, white, unlabeled, can be labeled with: CMS-P1-PLOTTER, mounting type: snapped, lettering field size: 20 x 8 mm, Number of individual labels: 5

GKM 2 GY - Cable marker carrier

1750485


<https://www.phoenixcontact.com/us/products/1750485>



SS-ZB YE - Contactor marker - zack marker strip

5031650

<https://www.phoenixcontact.com/us/products/5031650>



Contactor marker - zack marker strip, Strip, yellow, unlabeled, can be labeled with: CMS-P1-PLOTTER, mounting type: snapped, lettering field size: 20 x 8 mm, Number of individual labels: 5

UCT-EM (20X9) TQ - Equipment marking

0801473

<https://www.phoenixcontact.com/us/products/0801473>



Equipment marking, Sheet, turquoise, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 20 x 9 mm, Number of individual labels: 24

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com