# Data sheet | Item number: 211-862

Conductor markers for thread-on mounting; for Smart Printer;  $7 \times 10.5$  mm; white



www.wago.com/211-862



# Data Technical data

| Suitable                    | for wire cross-section 2.5 6 mm <sup>2</sup> |
|-----------------------------|--|
| Marking method              | Thermal transfer                             |
| Marking                     | plain  |
| Delivery form               | Roll   |
| Delivery form configuration | 1000 pcs/reel; 3 lines                       |
| Printing device             | Smart Printer (Thermal Transfer Printer)     |
|                             |  |

# Physical data

| Depth                   | 0.22 mm    |
|-------------------------|------------|
| Marking surface         | 7 x 26 mm  |
| Sheathed cable diameter | 3.3 4.9 mm |

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$ 

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

## Data sheet | Item number: 211-862

www.wago.com/211-862



## Mechanical data

| Mounting type    | Sliding on conductor                    |
|------------------|---|
| Smear resistance | in conjunction with 258-5005 Ink Ribbon |

#### Material data

| Color                | white                         |
|----------------------|-------------------------------|
| Material             | Polyester                     |
| UV resistance        | EN 60068-2-5:2010 Procedure B |
| Adhesive information | without adhesive              |
| Halogen-free         | Yes                           |
| Weight               | 156 g                         |
| Fire load            | 0.01 MJ                       |

# **Environmental requirements**

| Ambient temperature (operation) | -40 +150 °C |
|---------------------------------|-------------|
| Relative humidity               | 40 50 %     |

#### Commercial data

| Product Group         | 2 (Terminal Block Accessories) |
|-----------------------|--------------------------------|
| eCl@ss 10.0           | 27-40-04-01                    |
| eCl@ss 9.0            | 27-40-06-29                    |
| ETIM 8.0              | EC001530                       |
| ETIM 7.0              | EC001530                       |
| Recupel Type          |                                |
| ECCN                  | NO DATA                        |
| PU (SPU)              | 1 pcs                          |
| Packaging type        | box                            |
| Country of origin     | DE                             |
| GTIN                  | 4050821688662                  |
| Customs tariff number | 39269097900                    |

# **Environmental Product Compliance**

| RoHS Co | ompliance Status | Compliant,No Exemption |
|---------|------------------|------------------------|
|         |                  |                        |

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

#### Data sheet | Item number: 211-862

www.wago.com/211-862



### Optional accessories

#### Marking accessories

Marking device



Item no.: 258-5000

Thermal transfer printer; Smart Printer; for complete control cabinet marking; 300 dpi; With marking

www.wago.com/258-5000

# Downloads

#### **Documentation**

**Operating Instructions** 

211-861 Information on printing material

1

pdf

Download

2020 年8月28日

1.3 MB

## **Environmental Product Compliance**

Compliance Search

**Environmental Product Compliance 211-862** 


URL

Download

Conductor markers for thread-on mounting; for Smart Printer; 7 x 10.5 mm; white

### **Installation Notes**

#### Application



Conductor marker for thread-on mounting

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.