

Specification Sheet

Part Number: 133-03691

Heavy duty push pin with 12x17mm fir tree provides low insertion effort yet delivers exceptional retention strength in a 12x17mm slotted hole. Oval fir tree prevents rotation.

Wide, flat top provides an ergonomically friendly surface for easy installation.

Long fir tree to fasten channel, bracket or clamp to panel surface.



Push Pin with Oval Fir Tree, 12x17 mm oval hole diameter, PA66HIRHSUV, Black, 2000/ctn

Article Number	133-03691
----------------	-----------

Type	12x17PUSHPIN
------	--------------

Color	Black (BK)
-------	------------

Quantity Per	bag
--------------	-----

Product Description	Push pins allow the fastening of multiple parts together with a simple press of the thumb.
---------------------	--

Short Description	Push Pin with Oval Fir Tree, 12x17 mm oval hole diameter, PA66HIRHSUV, Black, 2000/ctn
-------------------	--

Global Part Name	12x17PUSHPIN-PA66HIRHSUV-BK
------------------	-----------------------------

Length L (Metric)	28
Fixation Method	Push Mount
Height H (Metric)	21.35
Depth D (Metric)	24
Panel Thickness Min (Imperial)	0.02
Panel Thickness Max (Imperial)	0.31
Panel Thickness Min (Metric)	0.6
Panel Thickness Max (Metric)	8.0
Mounting Hole Diameter D (Metric)	12 x 17 mm
Material	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
Material Shortcut	PA66HIRHSUV
Flammability	UL 94 HB
Halogen Free	Yes
UV Resistant (Yes/No)	Yes
Operating Temperature	-40°F to +221°F (-40°C to +105°C)

Reach Compliant (Article 33)	No
Package Quantity (Imperial)	2000
Package Quantity (Metric)	2000
Customs Number	3926909988

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2024 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)